

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ASB252
A145

S

COTTON QUALITY CROP OF 1996



111
111

USDA LIBRARY
NAT'L AGRIC LIBR
1991 JUL -5 P
CURRENT SERIALS ACCESSIONS
UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

Vol. 70, No. 7

April 1997

COTTON QUALITY - UNITED STATES 1996 Crop

Color. Color 31 was the predominant color of upland cotton classed from the 1996 crop and accounted for 38 percent of classings, according to the Cotton Division, Agricultural Marketing Service, USDA. Color 31 was predominant in 1995 and made up 33 percent of classings. Color 41 and better made up 75 percent of classings from the 1996 crop and compares with 76 percent in 1995 and 66 percent in 1994. All white color grades accounted for 76 percent of the 1996 crop, down slightly from 77 percent in 1995, but up from 69 percent two years ago. Light Spotted color grades comprised 22 percent of classings, the same as in 1995, but down from 30 percent in 1994. Spotted color grades made up about 1 percent of classings this season, the same as a year earlier, and two years ago. Tinged, Stained and Below color grades accounted for less than 1 percent of classings this season, the same as the past two years.

Leaf. The predominant leaf grade of cotton classed from the 1996 crop was leaf grade 3, accounting for 52 percent of total upland classings. Leaf grade 3 was predominant a year earlier making up 46 percent of classings. Leaf grade 2 comprised the next highest percentage at 30 percent of classings against 34 percent in 1995. Leaf grade 4 made up 15 percent of classings from this year's crop compared with 16 percent a year ago. Leaf grade 5-7 made up about 3 percent of classings, the same as last year.

Staple. The average staple length of upland cotton classed from the 1996 crop was 35.2 thirty-seconds inches, up slightly from 35.0 last year, but was the same as 1994. The predominant staple length was 35, making up 32 percent of classings this season. Staple 36 accounted for 27 percent of classings this season, and was up from 23 percent last year, but down slightly from 28 percent two years ago. Staples 31 and shorter comprised 1 percent of classings this season, the same as 1995, but was down from 2 percent in 1994. Staples 32 and 33 made up 8 percent compared with 11 percent last year and 10 percent two years ago. Staples 34 and 35, at 50 percent, was down slightly from 52, but up from 43 percent in 1995 and 1994, respectively. Staples 36 and longer made up 42 percent of classings this season. In 1995, staples 36 and longer accounted for 36 percent of classings and in 1994, 45 percent.

Mike. The average mike of upland cotton classed from the 1996 crop was 43 against 44 in 1995 and 42 in 1994. Cotton with mike 34 and lower made up 8 percent of classings and compares with 7 percent in 1995 and 5 percent in 1994. Cotton miking 35 through 49 comprised 81 percent of classings this season, and was up slightly from 80 percent last year, but down from 91 percent two years ago. Cotton with mike 50 and higher, was at 11 percent, this was down from 13 percent in 1995 and 5 percent in 1994.

Strength. The average fiber strength of upland cotton classed from the 1996 crop was 28.4 grams per tex. This compares with 29.1 in 1995 and 28.5 in 1994. Strengths in the 19 and lower range accounted for less than 1 percent of classings, the same as 1995 and 1994. About 1 percent of classings had strengths in the 20 to 23 range, about the same as the two previous years. Cotton with strengths of 24 to 27 accounted for 38 percent of classings this season against 25 percent last year and 37 percent two years ago. Strengths in the 28 and higher range comprised 61 percent of classings, down from 75 percent a year ago and 62 percent two years earlier.

American Pima cotton classed from the 1996 crop contained a larger proportion of higher grades than last year and larger proportion of longer staples. Grades 3 and better accounted for 91 percent of classings, down from 93 percent last year, but up from 89 percent two years ago. Grade 2 was the predominant grade this season comprising 64 percent of classings. Grade 2 was the predominant grade in 1995 at 62 percent, followed by grade 3 at 48 percent in 1994. Grades 4 and lower made up 9 percent of classings this season against 7 percent last year and 11 percent two years ago. The average staple length was 45.9 thirty-seconds inches compared with 45.5 and 45.8 in 1995 and 1994, respectively. Staple 46 was the predominant length comprising 70 percent of classings this season, 63 percent in 1995 and 71 percent in 1994. Average mike was 40, up from 37 last year, but the same as the two previous years.

Ginnings of 1996-crop cotton in the United States totaled 18,435,600 running bales, according to a preliminary report by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 17,925,400 bales of upland and 510,200 bales of American Pima cotton. The number of active cotton gins for crop year 1996 was 1,213, compared with 1,274 in 1995 and 1,306 for the 1994 crop year.

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed, 1995 crop.

QUALITY		STAPLE									
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	34 & -	
11 & 21	1-2	Bales 48	Bales 200	Bales 1,324	Bales 6,463	Bales 26,343	Bales 78,469	Bales 204,579	Bales 426,906	Bales 744,332	
	3	17	118	691	3,728	17,752	51,641	109,373	214,274	397,594	
	4	2	10	77	358	2,154	6,683	11,460	19,148	39,892	
	5	-	-	6	24	171	557	875	865	2,498	
	6	-	1	-	-	7	21	34	35	98	
	7	-	-	-	-	1	-	1	5	7	
	TOTAL	67	329	2,098	10,573	46,428	137,371	326,322	661,233	1,184,421	
31	1-2	8	61	331	1,695	7,245	28,160	129,325	418,138	584,963	
	3	17	117	765	3,808	16,548	53,380	162,542	510,625	747,802	
	4	11	39	340	1,750	8,530	25,666	52,809	111,937	201,082	
	5	5	16	80	419	2,495	8,198	13,641	19,098	43,952	
	6	-	-	4	37	260	871	1,289	1,140	3,601	
	7	-	-	-	3	4	27	42	47	123	
	TOTAL	41	233	1,520	7,712	35,082	116,302	359,648	1,060,985	1,581,523	
41	1-2	-	1	15	49	972	9,027	62,398	178,432	250,894	
	3	-	3	16	128	1,486	13,571	105,877	420,843	541,924	
	4	1	4	18	127	856	5,430	32,965	142,269	181,670	
	5	-	2	11	69	398	1,583	5,631	18,354	26,048	
	6	1	2	6	26	124	359	819	1,772	3,109	
	7	-	-	-	4	20	47	80	158	309	
	TOTAL	2	12	66	403	3,856	30,017	207,770	761,828	1,003,954	
51	1-2	-	-	1	9	264	1,975	8,764	12,473	23,486	
	3	-	-	-	20	308	2,559	14,231	26,547	43,665	
	4	-	-	-	12	234	1,505	6,943	16,324	25,018	
	5	-	-	1	5	134	726	2,950	6,734	10,550	
	6	-	-	-	1	16	71	310	854	1,252	
	7	-	-	-	-	-	10	37	103	150	
	TOTAL	-	-	2	47	956	6,846	33,235	63,035	104,121	
61	1-2	-	-	-	4	46	416	1,389	657	2,512	
	3	-	-	-	2	45	492	1,302	939	2,780	
	4	-	-	-	2	13	148	326	332	821	
	5	-	-	-	1	8	70	167	182	428	
	6	-	-	-	-	2	34	77	107	220	
	7	-	-	-	-	-	1	8	20	29	
	TOTAL	-	-	-	9	114	1,161	3,269	2,237	6,790	
71	1-2	-	-	-	-	16	46	68	42	172	
	3	-	-	-	1	2	14	60	32	109	
	4	-	-	-	-	-	3	5	10	18	
	5	-	-	-	-	-	1	4	6	11	
	6	-	-	-	-	-	1	5	4	10	
	7	-	-	-	-	-	-	1	-	1	
	TOTAL	-	-	-	1	18	65	143	94	321	
12 & 22	1-2	27	176	1,005	4,321	15,807	39,198	68,286	81,672	210,492	
	3	9	87	543	2,675	10,738	28,044	46,633	61,043	149,772	
	4	1	3	75	332	1,366	3,660	6,100	8,068	19,605	
	5	-	2	3	17	110	276	423	422	1,253	
	6	-	-	-	1	4	15	14	17	51	
	7	-	-	-	-	-	2	-	-	2	
	TOTAL	37	268	1,626	7,346	28,025	71,195	121,456	151,222	381,175	
32	1-2	5	63	352	1,819	6,248	16,115	35,021	63,995	123,618	
	3	10	119	830	3,797	15,274	41,342	85,920	174,444	321,736	
	4	6	43	311	1,716	6,936	18,841	35,076	56,143	119,072	
	5	-	6	52	406	1,894	4,698	7,908	10,222	25,186	
	6	-	-	10	55	207	422	689	680	2,063	
	7	-	-	-	5	13	26	32	34	110	
	TOTAL	21	231	1,555	7,798	30,572	81,444	164,646	305,518	591,785	
42	1-2	-	1	12	72	686	4,182	18,971	39,130	63,054	
	3	1	3	42	236	1,778	10,690	56,474	166,933	236,157	
	4	-	2	41	232	1,545	6,971	30,337	94,720	133,848	
	5	-	5	13	161	740	2,660	7,601	16,897	28,077	
	6	-	1	10	53	268	627	1,242	1,975	4,176	
	7	-	1	-	5	30	104	159	202	501	
	TOTAL	1	13	118	759	5,047	25,234	114,784	319,857	465,813	
52	1-2	-	-	15	235	1,841	6,873	6,585	15,549		
	3	-	1	41	519	3,511	14,011	21,390	39,473		
	4	-	1	29	313	2,173	8,258	15,876	26,650		
	5	-	4	23	138	1,123	3,818	7,190	12,296		
	6	-	1	4	20	152	503	1,265	1,945		
	7	-	-	1	5	30	60	157	253		
	TOTAL	-	-	7	113	1,230	8,830	33,523	52,463	96,166	

Table 1. -- United States: Continued.

QUALITY	COLOR	LEAF	STAPLE								
			26 & -	28	29	30	31	32	33	34	34 & -
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
		-	-	-	9	24	283	789	525	1,630	
		3	-	-	6	47	424	1,094	1,025	2,596	
		4	-	-	2	27	174	443	677	1,323	
		5	-	-	2	8	99	237	415	761	
		6	-	-	1	5	55	94	180	335	
		7	-	-	-	1	6	24	27	58	
	TOTAL	-	-	-	20	112	1,041	2,681	2,849	6,703	
13 & 23	1-2	-	3	35	144	438	950	1,470	1,591	4,631	
		3	-	1	11	70	220	616	859	707	2,484
		4	-	-	1	6	20	73	109	82	291
		5	-	-	-	3	6	13	13	35	
		6	-	-	-	-	-	3	1	4	
		7	-	-	-	-	-	-	-	-	
	TOTAL	-	-	4	47	220	681	1,645	2,454	2,394	7,445
33	1-2	4	14	59	175	399	894	1,784	2,870	6,199	
		3	1	13	55	206	710	1,858	3,347	5,129	11,319
		4	-	2	18	81	224	648	1,070	1,266	3,309
		5	-	1	7	21	45	123	178	171	546
		6	-	1	-	-	2	10	15	17	45
		7	-	-	-	-	-	1	2	1	4
	TOTAL	-	5	31	139	483	1,380	3,534	6,396	9,454	21,422
43	1-2	-	5	23	22	88	417	1,374	3,154	5,083	
		3	-	3	20	57	251	991	3,530	10,157	15,009
		4	-	2	14	68	220	691	1,793	4,839	7,627
		5	-	-	17	35	85	196	422	668	1,423
		6	-	1	1	1	15	32	68	85	203
		7	-	-	-	-	4	6	9	20	39
	TOTAL	-	11	75	183	663	2,333	7,196	18,923	29,384	
53	1-2	-	-	1	1	15	117	465	643	1,242	
		3	-	-	7	50	364	1,354	2,555	4,330	
		4	-	-	5	29	258	971	2,094	3,357	
		5	-	-	1	23	92	369	747	1,232	
		6	-	-	-	1	21	46	110	178	
		7	-	-	1	2	1	9	12	25	
	TOTAL	-	-	1	15	120	853	3,214	6,161	10,364	
63	1-2	-	-	-	-	6	18	52	35	111	
		3	-	-	-	14	48	265	327	654	
		4	-	-	5	6	48	153	272	484	
		5	-	-	2	11	32	83	108	236	
		6	-	-	-	2	10	26	43	81	
		7	-	-	-	-	2	1	11	14	
	TOTAL	-	-	-	7	39	158	580	796	1,580	
24-54	1-7	-	17	44	63	141	532	1,465	2,655	4,917	
25-35	1-7	-	-	1	2	-	5	25	35	68	
81-85 1/	1-7	-	-	-	2	23	210	407	479	1,121	
	8 2/	-	-	-	9	25	44	95	199	372	
TOTAL, ALL	-	174	1,149	7,299	35,765	154,512	488,820	1,389,309	3,422,417	5,499,445	

Table 1. -- United States: Continued.

QUALITY		STAPLE							
COLOR	LEAF	35	36	37	38	39	40 & +	35 to 40+	TOTAL
11 & 21	1-2	Bales 532,974	Bales 570,422	Bales 559,977	Bales 50,407	Bales 2,563	Bales 1,355	Bales 1,717,698	Bales 2,462,030
	3	238,423	171,589	251,751	44,681	2,007	310	708,761	1,106,355
	4	23,957	11,332	8,449	3,144	305	52	47,239	87,131
	5	1,084	560	265	104	27	6	2,046	4,544
	6	33	14	7	1	-	-	55	153
	7	1	2	1	-	-	-	4	11
	TOTAL	796,472	753,919	820,450	98,337	4,902	1,723	2,475,803	3,660,224
31	1-2	662,417	434,179	176,506	14,612	1,984	650	1,290,348	1,875,311
	3	941,582	711,075	343,704	45,224	3,650	658	2,045,893	2,793,695
	4	201,593	169,903	84,629	14,380	1,138	161	471,804	672,886
	5	27,638	21,305	8,804	1,600	201	27	59,575	103,527
	6	1,406	1,204	485	120	15	2	3,232	6,833
	7	57	56	33	5	-	1	152	275
	TOTAL	1,834,693	1,337,722	614,161	75,941	6,988	1,499	3,871,004	5,452,527
41	1-2	216,679	98,395	22,925	1,319	95	105	339,518	590,412
	3	739,900	478,495	128,237	6,877	451	46	1,354,006	1,895,930
	4	332,887	294,841	103,434	6,379	553	41	738,135	919,805
	5	47,908	49,443	19,987	1,434	184	24	118,980	145,028
	6	4,544	5,012	2,260	194	29	2	12,041	15,150
	7	390	417	196	14	1	-	1,018	1,327
	TOTAL	1,342,308	926,603	277,039	16,217	1,313	218	2,563,698	3,567,652
51	1-2	9,894	3,545	850	50	7	3	14,349	37,835
	3	27,895	14,790	3,481	180	28	8	46,382	90,047
	4	23,386	16,509	4,854	246	9	-	45,004	70,022
	5	9,567	7,257	2,361	131	11	-	19,327	29,877
	6	1,313	1,000	394	28	6	-	2,741	3,993
	7	205	161	57	6	4	-	433	583
	TOTAL	72,260	43,262	11,997	641	65	11	128,236	232,357
61	1-2	282	90	35	4	1	-	412	2,924
	3	457	157	45	6	-	-	665	3,445
	4	252	113	26	2	-	-	393	1,214
	5	183	104	18	1	-	-	306	734
	6	144	73	30	5	-	-	252	472
	7	39	24	2	-	-	-	65	94
	TOTAL	1,357	561	156	18	1	-	2,093	8,883
71	1-2	18	6	2	5	1	-	31	203
	3	19	3	3	1	1	-	27	136
	4	7	5	-	-	-	-	12	30
	5	6	4	2	-	-	-	12	23
	6	4	1	-	-	-	-	5	15
	7	9	-	2	-	-	-	11	12
	TOTAL	63	19	9	6	1	-	98	419
12 & 22	1-2	55,714	21,023	6,944	627	69	125	84,502	294,994
	3	48,739	17,762	5,332	653	77	24	72,587	222,359
	4	8,640	3,293	768	90	9	-	12,800	32,405
	5	500	250	55	3	1	1	810	2,063
	6	12	14	3	-	1	-	30	81
	7	-	-	-	-	-	-	-	2
	TOTAL	113,605	42,342	13,102	1,373	157	150	170,729	551,904
32	1-2	70,980	35,717	8,512	547	68	237	116,061	239,679
	3	250,994	170,136	52,021	4,333	592	109	478,185	799,921
	4	83,219	67,365	25,548	2,171	280	39	178,622	297,694
	5	12,570	9,586	3,891	325	48	8	26,428	51,614
	6	775	576	216	16	4	2	1,589	3,652
	7	19	29	12	-	-	-	60	170
	TOTAL	418,557	283,409	90,200	7,392	992	395	800,945	1,392,730
42	1-2	41,554	18,211	3,683	182	5	6	63,641	126,695
	3	258,575	171,489	48,934	2,892	288	14	482,192	718,349
	4	182,543	155,278	58,424	3,737	407	13	400,402	534,250
	5	33,336	33,188	14,994	1,053	85	5	82,661	110,738
	6	3,503	3,828	1,749	178	12	-	9,270	13,446
	7	311	329	157	17	3	-	817	1,318
	TOTAL	519,822	382,323	127,941	8,059	800	38	1,038,983	1,504,796
52	1-2	3,457	1,132	210	16	6	-	4,821	20,370
	3	19,505	10,443	2,567	119	19	3	32,656	72,129
	4	19,864	13,028	3,850	195	14	-	36,951	63,601
	5	9,303	6,144	2,207	125	8	1	17,788	30,084
	6	1,736	1,276	458	36	14	1	3,521	5,466
	7	277	230	115	8	1	-	631	884
	TOTAL	54,142	32,253	9,407	499	62	5	96,368	192,534

Table 1. -- United States: Continued.

QUALITY		STAPLE								
COLOR	LEAF	35	36	37	38	39	40 & +	35 to 40+	TOTAL	
62	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	1-2	138	58	13	1	-	-	-	210	1,840
	3	457	192	52	3	-	-	-	704	3,300
	4	554	234	38	7	1	-	-	834	2,157
	5	501	192	46	2	-	-	-	741	1,502
	6	225	123	30	3	-	-	-	381	716
	7	52	24	9	-	-	-	-	85	143
TOTAL		1,927	823	188	16	1	-	-	2,955	9,658
13 & 23	1-2	937	311	127	19	1	-	-	1,395	6,026
	3	499	175	90	18	2	-	-	784	3,268
	4	98	37	19	2	1	-	-	157	448
	5	9	4	1	-	-	-	-	14	49
	6	3	2	-	-	-	-	-	5	9
	7	-	-	-	-	-	-	-	-	-
TOTAL		1,546	529	237	39	4	-	-	2,355	9,800
33	1-2	2,812	1,478	496	68	-	-	-	4,854	11,053
	3	6,724	4,701	2,098	475	28	1	14,027	25,346	
	4	1,654	1,327	746	177	5	-	-	3,909	7,218
	5	244	241	104	11	-	-	-	600	1,146
	6	24	22	9	1	-	-	-	56	101
	7	1	-	-	-	-	-	-	1	5
TOTAL		11,459	7,769	3,453	732	33	1	23,447	44,869	
43	1-2	3,536	1,586	314	20	1	1	5,458	10,541	
	3	14,543	9,248	2,792	222	24	2	26,831	41,840	
	4	8,340	6,488	2,718	290	22	5	17,863	25,490	
	5	1,155	1,183	629	88	17	3	3,075	4,498	
	6	143	169	73	13	2	1	401	604	
	7	11	16	13	1	1	-	42	81	
TOTAL		27,728	18,690	6,539	634	67	12	53,670	83,054	
53	1-2	478	207	45	1	-	-	731	1,973	
	3	2,669	1,382	339	16	1	1	4,408	8,738	
	4	2,417	1,487	447	15	5	1	4,372	7,729	
	5	986	662	242	13	1	-	1,904	3,136	
	6	131	97	50	10	-	-	288	466	
	7	24	18	6	2	-	-	50	75	
TOTAL		6,705	3,853	1,129	57	7	2	11,753	22,117	
63	1-2	21	17	4	1	-	-	43	154	
	3	184	74	17	-	-	-	275	929	
	4	198	80	11	1	1	-	291	775	
	5	109	57	13	1	-	-	180	416	
	6	54	29	5	-	-	-	88	169	
	7	5	4	-	-	-	-	9	23	
TOTAL		571	261	50	3	1	-	886	2,466	
24-54	1-7	3,435	2,290	967	223	17	2	6,934	11,851	
25-35	1-7	24	16	10	-	-	-	50	118	
81-85 1/	1-7	447	198	95	30	2	1	773	1,894	
	8 2/	406	410	179	34	3	-	1,032	1,404	
TOTAL, ALL		5,207,527	3,837,252	1,977,309	210,251	15,416	4,057	11,251,812	16,751,257	

EXTRANEous MATTER	Average Staple -----	35.0
	Percent Tenderable --	62.6
Bark - Level 1	847,177	
Bark - Level 2	1,581	
Grass - Level 1	426,490	
Grass - Level 2	3,635	
Prep - Level 1	44,283	
Prep - Level 2	169	
Other - Level 1	23,110	
Other - Level 2	356	

16,751,257 Bales Classed 1/ Below Color. 2/ Below Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
		9	18	151	1,648	12,340	44,328	121,283	295,755	475,532
		3	6	10	46	401	3,733	20,302	78,647	217,082
		4	-	-	4	44	343	2,446	9,819	25,811
		5	-	-	-	2	32	218	845	1,340
		6	-	-	-	-	3	20	43	40
		7	-	-	-	-	1	1	2	4
TOTAL---		15	28	201	2,095	16,452	67,315	210,639	540,032	836,777
31	1-2	-	1	83	831	5,513	21,914	115,685	432,816	576,843
		3	6	12	125	1,164	7,141	30,530	146,937	581,167
		4	3	10	95	638	4,131	20,694	68,451	155,848
		5	2	7	40	365	2,054	11,889	35,557	51,211
		6	1	-	4	63	374	2,086	6,562	7,250
		7	-	-	-	2	21	62	289	248
TOTAL---		12	30	347	3,063	19,234	87,175	373,481	1,228,540	1,711,882
41	1-2	-	1	11	99	655	3,467	23,794	99,666	127,693
		3	-	2	21	176	1,128	5,984	55,171	318,985
		4	1	1	11	123	807	3,676	18,185	83,088
		5	-	-	15	79	484	1,902	5,422	11,793
		6	-	-	2	52	259	1,113	3,162	4,186
		7	-	-	-	1	17	27	221	647
TOTAL---		1	4	61	546	3,360	16,363	106,381	518,428	645,144
51	1-2	-	-	3	21	120	685	3,467	8,951	13,247
		3	-	-	4	29	222	1,307	7,264	23,634
		4	-	-	-	27	203	913	3,900	11,565
		5	-	-	3	15	130	402	1,155	2,905
		6	-	-	2	4	55	143	239	376
		7	-	-	-	1	6	8	29	59
TOTAL---		-	-	12	97	736	3,458	16,054	47,490	67,847
61	1-2	-	-	-	2	18	188	660	842	1,710
		3	-	-	1	3	21	220	879	1,220
		4	-	-	-	3	2	29	235	437
		5	-	-	-	-	1	7	52	706
		6	-	-	-	-	2	3	18	54
		7	-	-	-	-	1	1	4	9
TOTAL---		-	-	1	8	45	448	1,848	2,709	5,059
71	1-2	-	-	-	-	6	17	84	51	158
		3	-	-	-	3	11	23	29	66
		4	-	-	-	-	-	4	7	11
		5	-	-	-	-	-	1	-	1
		6	-	-	-	-	-	-	2	2
		7	-	-	-	-	-	-	1	1
TOTAL---		-	-	-	-	9	28	112	90	239
12 & 22	1-2	-	5	82	654	3,902	11,541	21,153	41,052	78,389
		3	4	56	491	2,813	12,683	34,462	62,986	113,498
		4	1	10	74	603	3,003	8,364	13,686	25,742
		5	-	2	13	124	606	1,559	1,779	4,083
		6	-	-	3	12	39	103	71	228
		7	-	-	-	-	1	-	1	2
TOTAL---		4	10	150	1,235	7,454	27,873	65,641	119,575	221,942
32	1-2	-	1	46	295	1,630	5,411	22,300	68,158	97,841
		3	5	78	742	3,543	12,018	52,026	186,752	255,165
		4	2	41	442	2,167	8,312	23,453	56,780	91,198
		5	1	26	239	1,451	5,628	12,605	16,111	36,061
		6	1	11	106	525	1,538	3,425	3,412	9,019
		7	-	1	9	31	82	208	190	521
TOTAL---		3	10	203	1,833	9,347	32,989	114,017	331,403	489,805
42	1-2	-	7	49	235	1,162	3,881	13,060	34,690	53,084
		3	13	95	650	2,638	7,955	41,894	176,857	230,102
		4	6	60	425	1,686	4,788	19,518	74,655	101,138
		5	-	23	193	856	1,983	5,143	12,554	20,752
		6	-	7	80	335	814	1,705	2,727	5,668
		7	-	1	11	57	190	412	579	1,250
TOTAL---		-	26	235	1,594	6,734	19,611	81,732	302,062	411,994
52	1-2	-	9	64	265	909	2,588	6,710	10,329	20,874
		3	8	73	424	1,423	4,370	16,407	44,117	66,822
		4	2	49	324	942	1,937	6,665	19,412	29,331
		5	3	26	189	665	1,164	2,046	3,796	7,889
		6	6	21	102	370	483	613	649	2,244
		7	1	3	31	186	103	121	141	586
TOTAL---		-	29	236	1,335	4,495	10,645	32,562	78,444	127,746

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	5	58	275	927	2,003	1,431	4,699
	3	-	1	3	26	158	1,029	3,409	3,889	8,515
	4	-	-	1	14	50	262	1,009	1,386	2,722
	5	-	-	1	4	10	46	194	317	572
	6	-	-	-	-	4	12	31	60	107
	7	-	-	-	-	4	2	7	15	28
	TOTAL---	-	-	1	10	102	501	2,278	6,653	7,098
13 & 23	1-2	-	2	8	67	200	505	646	1,098	2,526
	3	-	1	12	29	106	477	766	973	2,364
	4	-	-	1	4	26	85	149	139	404
	5	-	-	-	-	3	14	28	13	58
	6	-	-	-	-	-	1	2	1	4
	7	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	3	21	100	335	1,082	1,591	2,224
33	1-2	-	3	1	22	97	250	938	2,171	3,482
	3	1	14	26	82	275	870	2,269	5,428	8,965
	4	-	4	9	44	203	642	1,248	1,850	4,000
	5	-	-	2	19	122	340	650	617	1,750
	6	-	-	2	10	31	104	159	137	443
	7	-	-	-	-	2	3	11	9	25
	TOTAL---	-	1	21	40	177	730	2,209	5,275	10,212
43	1-2	-	-	4	16	56	191	853	1,738	2,858
	3	-	1	13	59	153	506	2,556	8,453	11,741
	4	-	3	12	59	136	480	1,575	4,236	6,501
	5	-	1	10	38	110	282	620	1,030	2,091
	6	-	3	15	29	60	98	281	376	862
	7	-	-	-	10	17	26	72	101	226
	TOTAL---	-	8	54	211	532	1,583	5,957	15,934	24,279
53	1-2	-	-	8	81	172	508	1,125	1,487	3,381
	3	-	-	13	97	255	863	3,335	7,467	12,030
	4	-	-	5	34	103	301	1,556	3,742	5,741
	5	-	1	3	17	46	195	421	766	1,449
	6	-	-	-	7	26	62	65	86	246
	7	-	-	2	3	7	8	17	19	56
	TOTAL---	-	1	31	239	609	1,937	6,519	13,567	22,903
63	1-2	-	1	6	21	78	237	614	479	1,436
	3	-	-	5	23	101	569	2,259	2,407	5,364
	4	-	-	1	11	24	202	839	1,332	2,409
	5	-	-	-	2	5	46	176	224	453
	6	-	-	-	1	5	8	46	36	96
	7	-	-	-	-	1	2	3	2	8
	TOTAL---	-	1	12	58	214	1,064	3,937	4,480	9,766
24-54	1-7	-	3	49	189	422	753	1,804	2,914	6,134
25-35	1-7	-	-	-	-	7	25	56	16	104
81-85 1/	1-7	2	1	5	14	90	298	628	547	1,585
	8 2/	-	-	2	12	58	111	276	347	806
TOTAL, ALL---		38	176	1,670	12,908	71,364	277,245	1,035,163	3,226,112	4,624,676

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								TOTAL
		35	36	37	38	39	40 & +	35 to 40 +	Bales	
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	2,090,494	
	3	470,165	676,466	433,728	30,825	3,461	317	1,614,962		
	4	252,212	214,696	214,228	21,518	2,308	264	705,226	1,025,453	
	5	31,892	14,112	11,141	1,739	230	33	59,147	97,614	
	6	1,444	634	298	88	16	3	2,483	4,920	
	7	26	15	15	11	—	—	67	173	
	TOTAL	4	1	2	—	—	—	7	15	
31	TOTAL	755,743	905,924	659,412	54,181	6,015	617	2,381,892	3,218,669	
	1-2	757,997	540,482	191,574	11,176	1,313	87	1,502,629	2,079,472	
	3	1,190,558	1,038,680	522,531	42,125	3,645	226	2,797,765	3,564,847	
	4	215,214	162,676	129,579	20,639	1,700	136	529,944	779,814	
	5	46,810	19,784	9,935	2,526	296	35	79,386	180,511	
	6	4,574	1,685	662	266	27	3	7,217	23,557	
	7	100	56	28	30	2	—	216	838	
41	TOTAL	2,215,253	1,763,363	854,309	76,762	6,983	487	4,917,157	6,629,039	
	1-2	172,739	107,707	30,219	1,287	30	5	311,987	439,680	
	3	787,334	683,172	264,352	17,007	416	22	1,752,303	2,133,770	
	4	225,437	248,909	140,403	15,656	728	60	631,193	737,085	
	5	21,008	22,853	16,958	3,286	246	32	64,383	84,078	
	6	3,312	2,030	1,579	356	18	2	7,297	16,071	
	7	515	228	128	34	2	—	907	2,530	
51	TOTAL	1,210,345	1,064,899	453,639	37,626	1,440	121	2,768,070	3,413,214	
	1-2	9,997	6,856	4,080	411	9	1	21,354	34,601	
	3	36,081	27,712	20,945	3,654	134	11	88,537	120,997	
	4	16,202	12,467	12,055	3,321	167	15	44,227	60,835	
	5	3,653	2,468	2,524	842	42	3	9,532	14,142	
	6	344	255	274	98	9	1	981	1,800	
	7	59	46	39	15	—	—	159	262	
61	TOTAL	66,336	49,804	39,917	8,341	361	31	164,790	232,637	
	1-2	537	857	982	118	—	—	2,494	4,204	
	3	961	1,367	1,897	430	9	—	4,664	7,008	
	4	485	535	669	167	9	—	1,865	2,571	
	5	170	164	273	82	1	—	690	897	
	6	54	54	77	32	—	—	217	294	
	7	3	5	12	4	—	—	24	39	
71	TOTAL	2,210	2,982	3,910	833	19	—	9,954	15,013	
	1-2	19	23	23	2	—	—	67	225	
	3	81	157	139	12	—	—	389	455	
	4	38	115	107	11	—	—	271	282	
	5	16	49	46	2	—	—	113	114	
	6	—	12	28	1	—	—	41	43	
	7	2	7	8	—	—	—	17	18	
12 & 22	TOTAL	156	363	351	28	—	—	898	1,137	
	1-2	54,601	42,634	19,134	1,865	371	608	119,213	197,602	
	3	61,827	36,148	16,799	1,851	533	73	117,231	230,729	
	4	12,970	5,674	1,867	196	57	8	20,772	46,514	
	5	1,377	553	166	20	4	2	2,122	6,205	
	6	39	17	4	1	—	—	61	289	
	7	—	1	—	—	—	—	1	3	
32	TOTAL	130,814	85,027	37,970	3,933	965	691	259,400	481,342	
	1-2	99,729	60,617	21,393	1,375	203	442	183,759	281,600	
	3	335,117	249,076	105,684	8,720	1,060	164	699,821	954,986	
	4	91,200	68,659	32,303	3,857	651	67	196,737	287,935	
	5	15,588	8,581	3,494	600	129	17	28,409	64,470	
	6	2,177	772	353	52	1	—	3,355	12,374	
	7	115	49	16	19	—	—	199	720	
42	TOTAL	543,926	387,754	163,243	14,623	2,044	690	1,112,280	1,602,085	
	1-2	46,543	22,385	4,890	175	4	8	74,005	127,089	
	3	341,563	224,110	62,998	2,968	99	1	631,739	861,841	
	4	158,087	133,452	50,753	3,611	144	■	346,055	447,193	
	5	19,111	15,758	7,538	1,029	57	4	43,497	64,249	
	6	2,607	1,646	882	164	10	1	5,310	10,978	
	7	419	219	127	13	3	—	781	2,031	
52	TOTAL	568,330	397,570	127,188	7,960	317	22	1,101,387	1,513,381	
	1-2	7,868	3,081	550	41	3	—	11,543	32,417	
	3	61,767	33,513	7,046	428	24	—	102,778	169,600	
	4	32,604	22,381	6,705	362	37	3	62,092	91,423	
	5	4,469	2,924	1,316	166	4	—	8,879	16,768	
	6	553	374	218	42	—	—	1,187	3,431	
	7	130	73	66	14	1	—	284	870	
	TOTAL	107,391	62,346	15,901	1,053	69	3	186,763	314,509	

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								TOTAL
		35	36	37	38	39	40 & +	35 to 40 +		
62	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
		436	108	50	11	—	—	—	605	5,304
		2,440	1,040	465	60	3	—	—	4,008	12,523
		1,231	767	405	50	—	—	—	2,453	5,175
		252	225	213	41	—	—	—	731	1,303
		45	78	79	18	—	—	—	220	327
		10	10	12	3	—	—	—	35	63
TOTAL-----		4,414	2,228	1,224	183	3	—	—	8,052	24,695
13 & 23	1-2	1,478	1,268	748	56	13	4	3,567	6,093	
		1,083	883	720	55	5	1	2,747	5,111	
		86	46	44	4	—	—	180	584	
		5	4	1	—	—	—	—	10	68
		2	—	—	—	—	—	—	2	6
		—	—	—	—	—	—	—	—	—
		2,654	2,201	1,513	115	18	5	6,506	11,862	
33	1-2	3,277	2,641	1,704	148	8	6	7,784	11,266	
		8,690	7,628	5,531	597	31	9	22,486	31,451	
		2,255	1,498	908	227	23	—	4,911	8,911	
		367	246	111	36	2	—	762	2,512	
		49	43	6	4	—	1	103	546	
		5	2	1	—	—	—	9	34	
		14,643	12,058	8,261	1,013	64	16	36,055	54,720	
43	1-2	2,148	1,294	577	33	2	1	4,055	6,913	
		13,097	9,268	4,534	492	10	3	27,404	39,145	
		6,321	4,479	2,426	447	16	3	13,692	20,193	
		1,156	877	509	116	4	2	2,664	4,755	
		308	172	96	34	—	—	610	1,472	
		72	34	12	—	—	—	118	344	
		23,102	16,124	8,154	1,122	32	9	48,543	72,822	
53	1-2	1,309	578	147	8	—	—	2,042	5,423	
		8,671	4,223	1,211	133	4	—	14,242	26,272	
		4,768	2,512	924	112	3	—	8,319	14,060	
		764	519	376	96	1	—	1,756	3,205	
		63	92	69	14	—	1	239	485	
		25	11	15	4	—	—	55	111	
		15,600	7,935	2,742	367	8	1	26,653	49,556	
63	1-2	155	43	7	1	—	—	206	1,642	
		1,487	556	149	15	—	—	2,207	7,571	
		1,023	409	144	17	—	—	1,593	4,002	
		170	116	78	11	1	—	376	829	
		26	54	64	12	—	—	156	252	
		—	2	5	—	—	—	7	15	
		2,861	1,180	447	56	1	—	4,545	14,311	
24-54	1-7	3,557	3,182	2,566	308	24	6	9,643	15,777	
25-35	1-7	8	5	3	—	—	—	16	120	
81-85 1/	1-7	513	537	340	29	3	4	1,426	3,011	
	8 2/	267	159	71	26	—	—	523	1,329	
TOTAL, ALL-----		5,668,123	4,765,641	2,381,161	208,559	18,366	2,703	13,044,553	17,669,229	
EXTRANEous MATTER										

Table 3. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 1996 crop

State	Preparation		Bark		Grass		Seed		Extraneous Matter		Oil		Spindle Twist		Other		Total	
	level 1	level 2	Bales	Bales	level 1	level 2	Bales	Bales	level 1	level 2	Bales	Bales	level 1	level 2	Bales	Bales	level 1	level 2
Alabama	3,246	1	15,406	31	8,660	64	2	1	0	1	1	1	10	0	27,326	98		
Arizona	345	5	44,505	150	5,125	107	4,574	17	11	0	12	1	543	0	55,115	280		
Arkansas	3,804	6	11,664	20	13,302	70	10	2	31	6	1	0	44	0	28,856	104		
California	1,633	16	8,752	58	28,166	366	776	19	135	4	1,376	5	241	2	41,079	470		
Florida	285	0	4,413	6	1,540	1	0	1	0	0	1	0	0	0	6,239	8		
Georgia	24,699	33	48,118	31	41,994	38	12	0	11	0	17	0	98	1	114,949	103		
Louisiana	727	4	6,939	37	32,292	221	58	1	22	1	18	0	44	0	40,100	264		
Mississippi	3,601	1	15,586	66	22,989	85	9	2	46	0	3	0	36	0	42,270	154		
Missouri	1,448	12	5,302	6	5,150	12	1	0	1	0	0	0	3	0	11,905	30		
New Mexico	129	2	2,357	1	667	1	344	0	6	0	0	0	0	0	3,503	4		
North Carolina	1,729	3	15,880	22	40,892	98	4	1	3	1	2	0	1	0	58,511	125		
Oklahoma	933	4	31,193	100	688	69	1	0	5	0	0	0	0	0	32,820	173		
South Carolina	457	0	3,981	13	13,331	31	1	0	9	0	0	0	0	0	17,779	44		
Tennessee	600	2	3,502	7	4,033	33	1	0	3	1	5	0	4	0	8,148	43		
Texas	7,755	70	862,659	533	39,748	1,683	63	7	82	2	228	2	451	1	910,986	2,298		
Virginia	208	0	4,794	4	7,474	40	0	1	1	0	0	0	1	0	12,478	45		
United States 1/	51,600	160	1,085,758	1,085	266,075	2,919	5,856	52	367	15	1,664	9	1,476	4	1,412,064	4,243		

1/ Includes Kansas.

Table 4. -- Tenderability of upland cotton classed, by states, 1996 crop.

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	565,721	75.6	182,623	24.4
Arizona	395,846	53.7	341,972	46.3
Arkansas	1,269,374	79.7	324,004	20.3
California	1,931,073	91.9	169,221	8.1
Florida	72,544	77.9	20,547	22.1
Georgia	1,190,229	57.7	873,379	42.3
Louisiana	558,534	43.0	740,910	57.0
Mississippi	1,149,971	63.4	662,525	36.6
Missouri	449,521	80.7	107,409	19.3
New Mexico	55,798	74.2	19,371	25.8
North Carolina	820,680	83.8	158,949	16.2
Oklahoma	53,062	42.8	70,856	57.2
South Carolina	334,754	78.0	94,545	22.0
Tennessee	543,315	81.8	120,646	18.2
Texas	1,952,908	46.1	2,285,555	53.9
Virginia	126,145	82.7	26,470	17.3
United States 2/	11,469,476	64.9	6,199,753	35.1

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

2/ Total includes small amount of Kansas.

Table 5.--Tenderability of upland cotton classed, in the United States, 1974–1996 crop

Year	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
1974	6,651,985	59.2	4,587,750	40.8
1975	4,503,214	55.6	3,594,338	44.4
1976	5,767,782	56.1	4,516,274	43.9
1977	8,853,834	63.7	5,055,287	36.3
1978	5,711,866	54.6	4,747,335	45.4
1979	6,996,723	49.4	7,168,941	50.6
1980	5,405,563	50.4	5,316,703	49.6
1981	6,361,006	42.2	8,711,848	57.8
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996 2/	11,469,476	64.9	6,199,753	35.1

1/ 1974–1978 tenderable on New York No. 1 and No. 2 futures contracts; 1979–1981, New York No. 2; 1982, New York No. 2 and New Orleans; 1983–1984, New York No. 2; 1985, New York No. 2 and Chicago; and 1986–1996, 1996, New York No. 2 futures contracts. 2/ Total includes small amount of Kansas.

Table 6. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
11 & 21	1-2	-	-	-	-	*	0.1	0.5	1.1	0.9	0.2	*	-	-	-	2.8	
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	0.1	0.5	1.2	1.0	0.3	*	-	-	-	3.0	
31	1-2	-	-	-	-	*	0.7	3.6	7.1	5.7	1.8	*	*	-	-	18.9	
	3	-	-	-	-	*	0.5	3.2	8.2	9.3	4.5	0.2	*	-	-	25.8	
	4	-	-	-	-	*	*	0.1	0.4	0.6	0.5	*	-	-	-	1.6	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	1.2	6.9	15.7	15.7	6.7	0.2	*	-	-	46.4	
41	1-2	-	-	-	-	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.3	
	3	-	-	-	-	*	0.5	2.5	4.6	3.3	1.2	*	-	-	-	12.1	
	4	-	-	-	-	*	0.1	0.4	1.1	1.1	0.5	*	-	-	-	3.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	*	0.7	3.5	6.6	4.9	1.8	0.1	*	-	-	17.7	
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4	
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.4	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.9	
61	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.3	
32	1-2	-	-	-	-	*	0.1	0.5	0.9	1.0	0.5	*	*	-	-	3.0	
	3	-	-	-	-	*	0.2	1.1	2.6	3.3	2.1	0.1	*	-	-	9.5	
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.3	*	*	-	-	1.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	0.3	1.6	3.9	4.7	3.0	0.2	*	-	13.7	
42	1-2	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.8	
	3	-	-	-	-	*	0.5	1.9	2.9	1.7	0.6	*	*	-	-	7.6	
	4	-	-	-	-	*	0.2	0.7	1.4	1.1	0.4	*	*	-	-	3.8	
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	-	*	0.7	2.9	4.6	3.1	1.1	*	*	-	-	12.5	
52	1-2	-	-	-	-	*	0.2	0.6	0.6	0.2	*	*	*	-	-	0.1	
	3	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	*	-	-	1.6	
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	1.3	
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	-	*	0.3	1.1	1.2	0.5	0.1	*	*	-	-	3.2	

Table 6. -- Alabama: Continued.

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	-	*	-	*	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	-	0.2
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	-	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	TOTAL	-	-	-	-	*	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	-	0.6
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	*	0.2	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2	-	0.9
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	0.3
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL, ALL		-	-	-	-	*	0.1	3.8	17.7	34.3	30.4	13.2	0.5	*	-	-	100.0
EXTRANEous MATTER																	Average Staple ----- 35.3 Percent Tenderable ----- 75.6
Bark - Level 1		2.1															
Bark - Level 2		*															
Grass - Level 1		1.2															
Grass - Level 2		*															
Prep - Level 1		0.4															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 2		*															

748,344 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-a. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

Table 6-a. -- Arizona: Continued.

QUALITY	LEAF	STAPLE															TOTAL	
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.		
62	1-2	-	-	-	-	-	-	-	*	#	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	#		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	#	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	#	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	*	#	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	#	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	#	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.3	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	-	*	*	*	*	*	*	*	-	-	#	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*	
TOTAL, ALL		-	-	*	*	0.1	1.2	7.3	25.3	39.5	23.4	2.7	0.4	0.2	100.0	Average Staple	35.9	
EXTRANEIOUS MATTER																	Percent Tenderable	53.7
Bark - Level 1		6.0																
Bark - Level 2		#																
Grass - Level 1		0.7																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.7																
Other - Level 2		*																

737,818 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-b. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed, 1936 crop.

QUALITY	LEAF	STAPLE														TOTAL										
		26 & -		28		29		30		31		32		33		34		35		36		37		38		TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	—	—	—	—	—	—	*	*	0.1	0.2	0.3	0.1	*	*	*	*	*	—	—	—	—	0.7			
	3	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	0.1			
	4	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*		
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	TOTAL	—	—	—	—	—	—	*	*	0.1	0.3	0.3	0.2	*	*	*	*	*	—	—	—	—	0.9			
31	1-2	—	—	*	*	*	*	*	*	0.3	2.3	4.5	3.3	1.2	*	*	*	*	—	—	—	—	—	11.6		
	3	—	—	*	*	*	*	*	*	0.3	3.5	9.9	8.2	3.4	0.2	*	*	*	—	—	—	—	—	25.4		
	4	—	—	—	—	*	*	*	*	0.4	1.4	1.3	0.5	*	*	*	*	*	—	—	—	—	—	3.7		
	5	—	—	—	—	—	—	*	*	*	0.1	0.1	*	*	*	*	*	*	—	—	—	—	—	0.2		
	6	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	TOTAL	—	—	*	*	*	*	*	*	0.7	6.2	15.8	12.8	5.2	0.2	*	*	*	—	—	—	—	—	40.9		
41	1-2	—	—	*	*	*	*	*	*	0.1	0.6	1.3	—	0.3	*	*	*	*	—	—	—	—	—	3.3		
	3	—	—	*	*	*	*	*	*	0.3	2.4	7.3	7.5	3.5	0.2	*	*	*	—	—	—	—	—	21.2		
	4	—	—	—	—	*	*	*	*	0.1	0.9	3.1	3.4	1.7	0.1	*	*	*	—	—	—	—	—	9.3		
	5	—	—	—	—	—	—	*	*	*	0.1	0.3	0.4	0.2	*	*	*	*	—	—	—	—	—	1.0		
	6	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	TOTAL	—	—	*	*	*	*	*	*	0.5	3.9	12.1	12.3	5.6	0.4	*	*	*	—	—	—	—	—	34.8		
51	1-2	—	—	—	—	*	*	*	*	*	*	*	*	0.1	*	*	*	*	—	—	—	—	—	0.2		
	3	—	—	—	—	—	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	*	—	—	—	—	—	0.8		
	4	—	—	—	—	—	—	*	*	0.2	0.2	0.1	*	*	*	*	*	—	—	—	—	—	0.5			
	5	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	0.2			
	6	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	7	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	TOTAL	—	—	—	—	*	*	*	*	0.1	0.5	0.6	0.4	0.1	*	*	*	*	—	—	—	—	—	1.7		
61	1-2	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	3	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	4	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	5	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	6	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	7	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*			
	TOTAL	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	0.1		
71	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*		
	3	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	4	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	5	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	6	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	7	—	—	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	TOTAL	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
12 & 22	1-2	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	3	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	4	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	5	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	6	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	7	—	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	TOTAL	—	—	*	*	*	*	*	*	0.2	1.8	3.7	2.9	1.3	0.1	*	*	*	—	—	—	—	—	1.0		
32	1-2	—	—	—	—	—	—	*	*	0.2	0.2	0.1	0.1	*	*	*	*	*	—	—	—	—	—	0.6		
	3	—	—	—	—	—	*	*	0.2	—	1.8	1.5	0.6	*	*	*	*	*	—	—	—	—	—	5.1		
	4	—	—	—	—	—	*	*	0.1	0.5	1.2	1.2	0.5	*	*	*	*	*	—	—	—	—	—	3.5		
	5	—	—	—	—	—	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	—	—	—	—	—	0.5		
	6	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	7	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	TOTAL	—	—	*	*	*	*	*	*	0.3	1.7	3.5	2.9	1.2	0.1	*	*	*	—	—	—	—	—	9.7		
42	1-2	—	—	—	—	—	—	*	*	0.2	0.2	0.1	0.1	*	*	*	*	*	—	—	—	—	—	*		
	3	—	—	—	—	—	*	*	0.2	—	1.8	1.5	0.6	*	*	*	*	*	—	—	—	—	—	5.1		
	4	—	—	—	—	—	*	*	0.1	0.5	1.2	1.2	0.5	*	*	*	*	*	—	—	—	—	—	3.5		
	5	—	—	—	—	—	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	—	—	—	—	—	0.5		
	6	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	7	—	—	—	—	—	*	*	*	*	*	*	*	*	*	*	*	*	—	—	—	—	—	*		
	TOTAL	—	—	*	*	*	*	*	*	0.3	1.7	3.5	2.9	1.2	0.1	*	*	*	—	—	—	—	—	9.7		
52	1-2	—	—	—	—	—	—	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	—	—	—	—	—	0.4		
	3	—	—	—	—	—	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	—	—	—	—	—	0.4		
	4	—	—	—	—	—	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	—	—	—	—	—	0.4		
	5	—	—	—	—	—	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	—	—	—	—	—	0.1		
	6	—	—	—	—																					

Table 6-b. -- Arkansas: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	0.5
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	*	*	*	0.1	2.0	14.8	36.7	32.0	13.7	0.7	*	*	100.0
EXTRANEous MATTER																Average Staple ----- 35.4 Percent Tenderable ----- 79.7
Bark - Level 1		0.7														
Bark - Level 2		*														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

1,593,378 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-c. -- California: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	--	--	--	--	*	*	0.4	4.6	16.7	13.3	0.6	*	*	35.7	
	3	--	--	--	--	*	*	0.9	4.9	8.3	0.7	*	*	*	14.9	
	4	--	--	--	--	*	*	0.1	0.4	0.1	*	*	*	*	0.6	
	5	--	--	--	--	*	*	*	*	*	*	*	*	*	*	
	6	--	--	--	--	--	--	--	*	*	*	--	--	--	*	
	7	--	--	--	--	--	--	--	--	*	--	--	--	--	*	
	TOTAL	--	--	--	--	*	*	0.4	5.5	21.8	22.0	1.4	*	*	51.2	
31	1-2	--	--	--	*	*	*	0.1	0.9	3.0	2.8	0.2	*	*	6.9	
	3	--	--	--	*	*	*	*	0.8	4.9	10.0	1.3	0.1	*	*	17.1
	4	--	--	--	*	*	*	*	0.1	1.0	3.5	0.7	*	*	5.3	
	5	--	--	--	*	*	*	*	*	0.1	0.2	0.1	*	*	0.4	
	6	--	--	--	--	--	--	*	*	*	*	*	*	*	*	
	7	--	--	--	--	--	--	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	0.1	1.8	8.9	16.5	2.3	0.2	*	*	29.8
41	1-2	--	--	--	--	*	*	*	0.1	0.4	0.5	*	*	*	*	4.6
	3	--	--	--	--	*	*	*	0.2	1.2	2.7	0.4	*	*	*	3.3
	4	--	--	--	--	*	*	*	0.1	0.6	2.1	0.5	*	*	*	0.6
	5	--	--	--	--	--	*	*	*	0.1	0.4	0.1	*	*	*	0.1
	6	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	*	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	0.4	2.4	5.7	1.1	*	*	*	9.7
51	1-2	--	--	--	--	*	*	*	*	0.1	0.2	*	*	*	*	0.4
	3	--	--	--	--	*	--	*	0.1	0.4	0.8	0.2	*	*	*	1.4
	4	--	--	--	--	*	*	*	*	0.1	0.4	0.2	*	*	*	0.7
	5	--	--	--	--	--	*	*	*	*	*	0.1	*	*	*	0.2
	6	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	--	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	0.1	0.6	1.5	0.4	*	*	*	2.7
61	1-2	--	--	--	*	*	--	*	*	*	*	*	*	*	*	0.1
	3	--	--	--	--	*	--	*	*	*	*	0.1	*	*	*	0.2
	4	--	--	--	--	--	*	*	*	*	*	*	*	*	*	0.1
	5	--	--	--	--	*	--	*	*	*	*	*	*	*	*	*
	6	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	*	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	*	0.1	0.2	*	*	*	*	0.4
71	1-2	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	3	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	4	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	5	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	6	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	--	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	--	--	--	--	*	*	*	0.1	0.2	0.3	*	*	*	*	0.6
	3	--	--	--	--	*	*	*	0.1	0.2	*	*	*	*	*	0.4
	4	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	5	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	6	--	--	--	--	--	--	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	--	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	0.1	0.4	0.5	*	*	*	*	1.0
32	1-2	--	--	--	--	*	*	*	0.1	0.2	0.3	*	*	*	*	0.4
	3	--	--	--	--	*	*	*	0.1	0.4	0.8	0.1	*	*	*	1.4
	4	--	--	--	--	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	5	--	--	--	--	*	*	*	*	*	*	*	*	*	*	*
	6	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	*	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	0.1	0.6	1.2	0.2	*	*	*	2.2
42	1-2	--	--	--	--	*	*	*	0.2	0.3	*	*	*	*	*	0.1
	3	--	--	--	--	*	*	*	0.1	0.2	0.1	*	*	*	*	0.6
	4	--	--	--	--	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	5	--	--	--	--	--	*	*	*	*	*	0.1	*	*	*	0.1
	6	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	*	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	0.1	0.3	0.7	0.2	*	*	*	1.3
52	1-2	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	3	--	--	--	--	--	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	--	--	--	--	--	*	*	*	*	*	*	*	*	*	0.1
	5	--	--	--	--	--	*	*	*	*	*	*	*	*	*	0.1
	6	--	--	--	--	--	*	*	*	*	*	*	*	*	*	*
	7	--	--	--	--	--	*	*	*	*	*	*	*	*	*	
	TOTAL	--	--	--	*	*	*	*	0.1	0.2	*	*	*	*	*	0.4

Table 6-c. -- California: Continued.

QUALITY	LEAF	STAPLE															TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	■
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	■
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	■
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	■
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	■
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	■
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	■
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	0.1	*	*	0.1
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2	■	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	■
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	■
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	■
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2	*	*	0.4
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	■
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	■
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	■
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.2	*	0.4
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	■
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	■
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	■
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	■
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*	■
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	■
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	0.1	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	■
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	*	-	■
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	-	■
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	-	■
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	-	-	■
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	■
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
81-85 1/2	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL		-	-	-	-	*	*	0.1	0.6	8.3	35.7	49.1	5.9	0.3	*	100.0	
EXTRANEIOUS MATTER															Average Staple	36.5	
															Percent Tenderable	91.9	
Bark - Level 1		0.4															
Bark - Level 2		*															
Grass - Level 1		1.3															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 2		*															

2,100,294 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-d. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE														TOTAL Pct.
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	0.7
	3	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	0.1	0.4	0.3	*	-	-	-	0.9
31	1-2	-	-	-	-	-	-	0.1	2.2	6.1	2.5	0.3	*	-	-	11.2
	3	-	-	-	-	-	*	0.2	3.4	17.1	13.3	2.4	*	-	-	36.3
	4	-	-	-	-	-	*	0.2	1.0	1.2	0.3	*	-	-	-	2.7
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.3	5.7	24.2	17.1	3.0	*	-	-	50.3
41	1-2	-	-	-	-	-	*	*	0.3	1.1	0.4	*	-	-	-	1.9
	3	-	-	-	-	-	*	0.2	2.1	9.6	6.4	0.7	*	-	-	19.1
	4	-	-	-	-	-	*	0.1	0.6	2.4	2.5	0.7	*	-	-	6.2
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.3	3.0	13.2	9.4	1.6	*	-	-	27.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	0.1	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.3	0.3	0.1	*	*	*	-	0.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	*	*	0.5
	3	-	-	-	-	-	*	*	0.6	2.6	2.4	0.5	*	*	*	6.2
	4	-	-	-	-	-	*	*	0.1	0.4	0.5	0.1	*	*	*	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	*	0.1	0.8	3.3	3.0	0.7	*	*	*	7.8
42	1-2	-	-	-	-	-	*	*	0.1	0.7	2.7	2.1	0.3	*	*	0.2
	3	-	-	-	-	-	*	*	0.1	0.6	1.8	1.6	0.4	*	*	5.9
	4	-	-	-	-	-	*	*	0.1	0.6	1.8	1.6	0.4	*	*	4.5
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	*	0.2	1.5	4.7	3.9	0.7	*	*	*	10.9
52	1-2	-	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	*	0.8
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	*	1.5

Table 6-d. -- Florida: Continued.

QUALITY	LEAF	STAPLE													TOTAL
		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
62	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	*	*	*	—	—	—	—	—	*
	4	—	—	—	—	—	*	*	*	—	—	—	—	—	*
	5	—	—	—	—	—	*	*	*	—	—	—	—	—	*
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	*	*	*	*	—	—	—	—	*
13 & 23	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33	1-2	—	—	—	—	—	*	*	*	—	—	—	—	—	*
	3	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	4	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	—	—	—	—	—	—	—	—	*
43	1-2	—	—	—	—	—	*	*	*	—	—	—	—	—	*
	3	—	—	—	—	—	*	*	*	*	—	—	—	—	0.1
	4	—	—	—	—	—	*	*	*	*	*	—	—	—	*
	5	—	—	—	—	—	*	—	*	*	—	—	—	—	*
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	*	*	*	*	*	*	*	*	0.1
53	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	*	*	*	—	—	—	—	*
	4	—	—	—	—	—	*	*	*	*	—	—	—	—	*
	5	—	—	—	—	—	*	*	*	*	—	—	—	—	*
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	*	*	*	*	*	*	*	*	0.1
63	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	*	—	—	—	*
	4	—	—	—	—	—	—	—	—	—	*	—	—	—	*
	5	—	—	—	—	—	—	—	—	—	*	—	—	—	*
	6	—	—	—	—	—	—	—	—	—	*	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	*	—	—	—	—
	TOTAL	—	—	—	—	—	—	—	—	—	*	—	—	—	*
24-54	1-7	—	—	—	—	—	*	*	*	*	*	—	—	—	*
25-35	1-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
81-85 1/	1-7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8 2/	—	—	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL, ALL		—	—	—	—	—	*	1.0	11.9	46.7	34.3	6.0	0.1	—	100.0
EXTRANEous MATTER															Average Staple ----- 35.3 Percent Tenderable ----- 78.0
Bark - Level 1		4.7													
Bark - Level 2		*													
Grass - Level 1		1.7													
Grass - Level 2		*													
Prep - Level 1		0.3													
Prep - Level 2		—													
Other - Level 1		*													
Other - Level 2		*													

93,091 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-e. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	3	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	-	-	1.0
31	1-2	-	-	-	-	*	*	0.2	1.5	3.2	1.8	0.3	*	-	-	7.1
	3	-	-	*	*	*	*	0.3	2.3	6.7	5.2	1.1	*	*	*	15.7
	4	-	-	-	-	*	*	0.2	0.5	0.6	0.2	*	-	-	-	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	TOTAL	-	-	*	*	*	*	0.6	4.0	10.4	7.6	1.6	*	*	*	24.3
41	1-2	-	-	-	-	*	*	0.2	1.0	2.1	1.2	0.2	*	-	-	4.7
	3	-	-	-	-	*	*	0.5	4.1	10.9	8.0	1.5	*	*	-	25.1
	4	-	-	-	-	*	*	0.1	0.6	1.8	1.8	0.5	*	*	*	4.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	0.8	5.7	14.9	11.0	2.2	*	*	*	34.5
51	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.3	0.7	0.4	0.1	*	-	-	1.6
	4	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.5	1.0	0.7	0.1	*	-	-	2.5
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*
	4	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*
	5	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	*	*	*	-	*	-	*	-	-	-	-
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*
	6	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	*	*	*	0.2	0.4	0.2	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.1	0.5	1.3	1.0	0.2	*	-	-	3.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.8	1.8	1.4	0.4	*	-	-	4.5
42	1-2	-	-	-	-	*	*	*	0.1	0.4	0.9	0.4	0.1	-	-	1.9
	3	-	-	-	-	*	*	0.4	2.9	7.3	4.7	0.9	*	*	-	16.2
	4	-	-	-	-	*	*	0.1	0.6	2.1	1.9	0.6	*	*	-	5.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	0.6	4.0	10.2	7.1	1.5	*	*	-	23.5
52	1-2	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.2	0.9	2.0	1.2	0.2	*	*	-	4.5
	4	-	-	-	-	*	*	*	0.3	1.0	0.8	0.2	*	-	-	2.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	0.2	1.3	3.2	2.1	0.4	*	*	-	7.4

Table 6-e. -- Georgia: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	■	■	■	■	■	■	■	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	■	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	■	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	■	*	0.2	0.3	0.2	*	*	*	*	0.7
	4	-	-	-	-	■	*	■	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	*	*	■	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.1	0.2	0.5	0.3	*	*	*	1.1
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	■	*	0.2	0.3	0.2	*	*	*	*	0.1
	4	-	-	-	-	■	*	■	*	0.1	0.1	*	*	*	*	0.1
	5	-	-	-	-	*	*	■	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
24-54	1-7	-	-	-	-	*	■	■	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	*	*	*	0.2	2.5	17.1	43.0	30.8	6.4	*	*	*	100.0
EXTRANEous MATTER													Average Staple	-----	35.2	
		Bark - Level 1		2.3										Percent Tenderable	-----	57.7
		Bark - Level 2		*												
		Grass - Level 1		2.0												
		Grass - Level 2		*												
		Prep - Level 1		1.2												
		Prep - Level 2		*												
		Other - Level 1		*												
		Other - Level 2		*												

2,063,608 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-f. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.6	0.2	*	*	-	-	-	1.4	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	0.1	0.5	0.6	0.2	*	*	-	-	-	1.4	
31	1-2	-	-	-	*	*	*	0.8	5.1	7.5	2.6	0.4	*	*	-	16.3	
	3	-	-	-	*	*	*	0.4	3.6	7.4	3.8	0.9	*	*	-	16.1	
	4	-	-	-	-	*	*	0.3	0.7	0.5	0.2	*	-	-	-	1.7	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	1.2	9.0	15.6	6.8	1.4	*	*	-	34.1	
41	1-2	-	-	-	*	*	*	0.2	0.8	1.1	0.4	*	*	-	-	2.5	
	3	-	-	-	*	*	*	0.4	2.6	5.4	2.6	0.4	*	*	-	11.5	
	4	-	-	-	*	*	*	0.1	0.7	1.8	1.3	0.4	*	*	-	4.3	
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	*	*	*	0.6	4.2	8.5	4.4	0.9	*	*	-	18.6	
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	TOTAL	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.1	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
32	1-2	-	-	-	*	*	*	*	0.4	1.9	2.6	0.9	0.2	*	*	*	5.9
	3	-	-	-	*	*	*	*	0.6	3.8	7.2	3.7	0.9	*	*	*	16.1
	4	-	-	-	-	*	*	*	0.1	0.6	1.4	1.0	0.4	*	*	*	3.5
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	1.0	6.3	11.2	5.7	1.4	*	*	*	25.8
42	1-2	-	-	-	*	*	*	*	0.1	0.4	0.5	0.2	*	*	*	*	1.3
	3	-	-	-	*	*	*	*	0.5	2.3	4.1	2.0	0.4	*	*	*	9.2
	4	-	-	-	*	*	*	*	0.2	1.1	2.5	1.7	0.5	*	*	*	6.1
	5	-	-	-	-	*	*	*	*	0.1	0.3	0.2	0.1	*	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	0.9	4.0	7.4	4.1	1.0	*	*	*	17.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.5

Table 6-f. -- Louisiana: Continued.

QUALITY	LEAF	STAPLE															TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.		
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2	
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	*	*	*	0.6	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.6	
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	-	*	*	0.2	0.4	0.2	*	*	*	*	*	1.0	
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	-	*	*	0.1	4.1	24.7	44.4	21.8	4.8	0.1	*	*	*	*	100.0	
EXTRANEIOUS MATTER																	Average Staple ----- 35.0 Percent Tenderable ----- 43.0	
		Bark - Level 1	0.5															
		Bark - Level 2	*															
		Grass - Level 1	2.5															
		Grass - Level 2	*															
		Prep - Level 1	0.1															
		Prep - Level 2	*															
		Other - Level 1	*															
		Other - Level 2	*															

1,299,444 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-g. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed, 1955 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	*	0.2	0.6	0.7	0.2	*	*	*	-	1.8	
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	*	*	*	0.2	0.6	0.8	0.3	*	*	*	-	1.9	
31	1-2	-	-	*	*	*	*	0.1	2.1	7.6	10.6	3.9	0.4	*	*	-	24.8
	3	-	-	*	*	*	*	0.1	1.5	6.6	12.6	6.8	1.0	*	*	*	28.6
	4	-	-	*	*	*	*	*	0.1	0.5	1.0	0.7	0.1	*	*	-	2.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	*	*	*	*	0.2	3.7	14.8	24.3	11.4	1.6	*	*	*	56.0
41	1-2	-	-	*	*	*	*	*	0.3	1.0	1.4	0.5	*	*	-	-	3.2
	3	-	-	*	*	*	*	*	0.7	3.1	5.6	3.0	0.4	*	*	-	13.0
	4	-	-	*	*	*	*	*	0.2	1.1	2.1	1.3	0.3	*	*	-	5.0
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	*	*	*	*	0.1	1.3	5.3	9.2	4.9	0.8	*	*	-	21.5
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*	
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	*	*	*	*	0.2	0.6	0.9	0.4	*	*	*	-	2.2
	3	-	-	*	*	*	*	*	0.5	2.0	3.2	1.9	0.4	*	*	-	7.9
	4	-	-	*	*	*	*	*	0.1	0.5	0.7	0.5	0.1	*	*	-	1.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.8	3.1	4.9	2.7	0.5	*	*	-	12.0
42	1-2	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	*	*	*	*	*	0.3	0.9	1.3	0.7	0.1	*	*	-	3.3
	4	-	-	*	-	*	*	*	0.2	0.7	1.0	0.6	0.1	*	*	-	2.6
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	*	*	*	*	*	0.5	1.9	2.6	1.4	0.2	*	*	-	6.6
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	0.1	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5

Table 6-g. -- Mississippi: Continued.

QUALITY	LEAF	STAPLE														TOTAL Pct.
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL		-	-	*	*	*	0.4	6.7	26.3	42.3	20.9	3.2	0.1	*	*	100.0
EXTRANEIOUS MATTER																Average Staple ----- 34.9 Percent Tenderable ----- 63.4
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		1.3														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

1,812,496 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-h. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
31	1-2	-	-	-	*	*	0.2	1.2	2.0	1.4	0.5	*	-	-	-	5.2
	3	-	-	-	*	*	0.5	3.4	7.4	6.6	2.9	0.2	*	-	-	21.1
	4	-	-	-	-	*	0.1	0.5	1.3	1.4	0.7	*	-	-	-	3.9
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.8	5.0	10.8	9.5	4.1	0.3	*	-	-	30.5
41	1-2	-	-	-	*	*	0.1	0.6	1.2	0.9	0.2	*	-	-	-	3.1
	3	-	-	-	*	*	0.6	4.2	11.0	11.3	5.0	0.3	*	-	-	32.5
	4	-	-	-	-	*	0.1	1.0	3.2	4.2	2.0	0.1	*	-	-	10.8
	5	-	-	-	-	-	*	0.1	0.4	0.6	0.2	*	*	-	-	1.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.8	6.0	15.9	17.0	7.5	0.5	*	-	-	47.7
51	1-2	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	-	-	0.8
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	-	-	-	1.5
61	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.5
	3	-	-	-	-	*	*	0.2	0.9	1.6	1.4	0.6	*	*	-	4.9
	4	-	-	-	-	-	*	*	0.2	0.6	0.5	0.2	*	-	-	1.6
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.3	1.3	2.4	2.2	0.9	0.1	*	-	-	7.2
42	1-2	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5
	3	-	-	-	-	*	*	0.4	1.4	2.4	1.7	0.6	*	-	-	6.6
	4	-	-	-	-	*	*	0.1	0.6	1.3	1.2	0.4	*	-	-	3.7
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.6	2.3	4.1	3.3	1.2	0.1	*	-	-	11.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*

Table 6-h. -- Missouri: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26	28	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	-	*	*	*	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	*	*	2.8	15.3	34.3	32.8	13.8	0.9	*	-	100.0
EXTRANEous MATTER																Average Staple ----- 35.4 Percent Tenderable ----- 80.7
Bark - Level 1		1.0														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		-														

556,930 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-i. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed, 1995 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35.1	
	1-2	-	-	-	-	*	0.1	0.3	0.8	3.1	6.1	13.8	8.4	2.3	0.2	35.1	
	3	-	-	-	-	*	*	0.1	0.3	0.6	1.1	4.4	5.7	2.2	0.3	14.7	
	4	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.2	*	*	1.3	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	*	0.1	0.4	1.2	3.7	7.2	18.6	14.7	4.8	0.6	51.2	
31	1-2	-	-	-	-	*	*	*	0.1	0.5	0.8	2.0	1.6	0.4	*	5.5	
	3	-	-	-	-	*	*	0.1	0.2	0.8	1.3	4.2	5.2	1.8	0.1	13.7	
	4	-	-	-	-	*	*	*	0.1	0.3	0.3	1.6	2.9	1.3	0.1	6.7	
	5	-	-	-	-	*	*	*	*	*	0.1	0.3	0.6	0.3	*	1.4	
	6	-	-	-	-	*	*	*	-	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	*	-	-	-	*	*	*	*	-	*	
TOTAL		-	-	-	-	*	0.1	0.2	0.4	1.5	2.4	8.1	10.3	3.8	0.3	27.3	
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.4	
	3	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	0.1	0.3	0.2	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	0.1	0.1	0.3	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	-	*	*	*	*	*	*	0.1	0.3	0.6	0.3	*	1.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.4	1.3	1.1	0.3	*	3.4		
	3	-	-	-	-	*	*	*	0.1	0.1	0.8	1.1	0.6	0.1	2.9		
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3		
	5	-	-	-	-	-	*	*	-	-	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL		-	-	-	*	*	*	*	0.1	0.3	0.6	2.2	2.3	1.0	0.1	6.6	
32	1-2	-	-	-	-	*	*	*	*	0.1	0.4	0.4	0.1	*	1.1		
	3	-	-	-	-	*	*	*	0.1	0.3	1.7	2.2	1.0	0.2	5.5		
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	1.0	1.2	0.7	0.1	3.5	
	5	-	-	-	-	*	*	0.1	0.1	*	0.1	0.2	0.3	0.1	*	0.9	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2	
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*	
TOTAL		-	-	-	*	0.1	0.2	0.2	0.3	0.7	3.4	4.1	2.0	0.3	11.3		
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.3	
	5	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	0.4	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
	7	-	-	-	-	*	*	*	*	-	*	-	*	*	*	*	
TOTAL		-	-	-	*	0.1	0.1	0.1	0.2	0.4	0.2	0.1	*	*	1.1		
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
TOTAL		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	

Table 6-i. -- New Mexico: Continued.

QUALITY	LEAF	STAPLE													TOTAL
		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	0.5
43	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	*	-	-	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL, ALL		-	-	-	0.1	0.4	1.0	2.1	5.9	11.3	33.3	32.3	12.2	1.4	100.0
EXTRANEous MATTER															Average Staple ----- 37.3
															Percent Tenderable ----- 74.2
Bark -- Level 1		3.1													
Bark -- Level 2		*													
Grass -- Level 1		0.9													
Grass -- Level 2		*													
Prep -- Level 1		0.2													
Prep -- Level 2		*													
Other -- Level 1		0.5													
Other -- Level 2		-													

75,169 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-j. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4	
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	+	0.7	
31	1-2	-	-	-	-	*	0.2	1.3	3.6	3.0	0.7	*	*	-	8.8	
	3	-	-	-	-	*	0.5	3.7	12.4	15.3	5.5	0.2	*	-	37.6	
	4	-	-	-	-	*	0.1	0.4	1.2	1.9	1.0	0.1	*	-	4.6	
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	*	0.7	5.4	17.2	20.3	7.3	0.3	*	-	51.3	
41	1-2	-	-	-	-	*	*	0.3	0.9	0.9	0.2	*	-	-	2.5	
	3	-	-	-	-	*	0.2	1.8	7.0	9.6	3.8	0.1	*	-	22.5	
	4	-	-	-	-	*	0.1	0.5	2.1	3.6	1.7	0.1	*	-	8.1	
	5	-	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	-	0.8	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	0.3	2.7	10.3	14.5	5.9	0.2	*	-	34.0	
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	TOTAL	-	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	*	1.0	
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	TOTAL	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
32	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.4	
	3	-	-	-	-	*	*	0.1	0.4	1.3	1.7	0.8	*	*	4.4	
	4	-	-	-	-	-	*	0.1	0.3	0.5	0.3	*	*	*	1.3	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	-	*	*	*	*	*	-	*	
	TOTAL	-	-	-	-	*	*	0.1	0.6	1.8	2.4	1.2	0.1	*	6.2	
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	*	*	0.2	0.9	1.3	0.7	*	*	*	3.2	
	4	-	-	-	-	*	*	0.1	0.5	0.9	0.6	*	*	*	2.2	
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	0.4	1.5	2.5	1.4	0.1	*	*	5.9	
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	TOTAL	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3	

Table 6-j. -- North Carolina: Continued.

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2	
43	1-2	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL		-	-	-	-	-	*	1.2	9.4	31.8	40.7	16.2	0.7	*	-	100.0	
EXTRANEous MATTER																	Average Staple ----- 35.6 Percent Tenderable ----- 83.8
Bark - Level 1		1.6															
Bark - Level 2		*															
Grass - Level 1		4.2															
Grass - Level 2		*															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 2		*															

979,629 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-k. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	26 & -	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	7.9
	1-2	-	-	-	*	*	0.1	0.3	1.4	2.7	2.1	1.2	0.1	-	-	1.7
	3	-	-	*	*	*	*	*	0.3	0.5	0.5	0.4	*	-	-	*
	4	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	- - -	-	-	*	*	*	0.1	0.3	1.6	3.2	2.6	1.6	0.1	-	-	9.7
31	1-2	-	-	*	*	0.1	0.5	1.1	3.1	5.0	4.3	2.3	0.2	-	-	16.7
	3	-	-	*	*	0.2	0.3	1.0	3.2	5.2	4.7	3.6	0.6	-	-	18.8
	4	-	-	*	*	0.1	0.3	0.4	0.9	1.5	-	0.4	0.1	-	-	4.7
	5	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	-	-	1.0
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL	- - -	-	-	*	0.1	0.5	1.2	2.8	7.4	11.9	10.1	6.4	0.9	-	-	41.3
41	1-2	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.6
	3	-	*	*	*	*	0.1	0.3	0.7	0.6	0.3	0.1	*	-	-	2.1
	4	-	-	-	*	*	0.2	0.4	0.7	0.7	0.3	0.1	*	-	-	2.4
	5	-	-	*	*	*	0.2	0.3	0.4	0.3	0.1	*	*	-	-	1.4
	6	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	7	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
TOTAL	- - -	-	*	*	*	*	0.2	0.7	1.2	2.0	1.7	0.8	0.2	*	-	6.8
51	1-2	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL	- - -	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	- - -	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	-	0.6
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	- - -	*	*	*	*	0.1	0.1	0.2	0.3	0.4	0.1	*	-	-	-	1.3
32	1-2	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	2.4
	3	-	-	*	0.1	0.2	0.7	1.5	2.5	2.7	1.9	1.1	0.2	-	-	10.9
	4	-	-	*	*	0.1	0.4	0.9	1.7	1.7	0.8	0.3	*	-	-	6.0
	5	-	-	*	*	0.1	0.2	0.3	0.5	0.6	0.2	*	*	-	-	1.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL	- - -	*	*	0.2	0.5	1.4	3.0	5.3	5.6	3.5	1.7	0.2	-	-	-	21.5
42	1-2	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	-	0.6
	3	-	*	*	*	0.2	0.4	0.6	0.7	0.6	0.3	0.1	*	-	-	2.9
	4	-	-	*	*	0.1	0.3	0.7	1.3	1.2	0.6	0.2	*	-	-	4.3
	5	-	-	*	*	0.1	0.2	0.5	1.1	1.2	0.5	0.1	*	-	-	3.8
	6	-	-	*	*	*	0.1	0.2	0.5	0.5	0.2	*	-	-	-	1.5
	7	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
TOTAL	- - -	*	*	0.1	0.4	1.1	2.3	3.8	3.7	1.6	0.4	*	-	-	-	13.4
52	1-2	-	-	-	*	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	*	-	*	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	*	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL	- - -	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	-	-	-	0.0

Table 6-k. -- Oklahoma: Continued.

QUALITY	LEAF	STAPLE															TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.		
62	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	*	*	*	*	-	1.0	
	4	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	-	0.8	
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*		
	TOTAL	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.4	0.1	*	*	*	-	2.2	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2	
	4	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	0.7	
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	0.8	
	6	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.4	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	TOTAL	-	-	*	*	0.1	0.2	0.4	0.6	0.6	0.3	0.1	-	-	-	-	2.3	
53	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	*	-	*	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
	TOTAL	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/2	1-7	-	-	*	*	*	-	-	*	*	*	-	-	-	-	-	*	
	8 2/	-	-	-	*	*	*	*	*	*	0.1	*	*	*	-	-	0.1	
TOTAL, ALL		-	*	0.1	0.6	2.0	5.2	10.8	21.8	27.9	19.8	10.6	1.3	-	-	-	100.0	
EXTRANEous MATTER																Average Staple -----	34.7	
																Percent Tenderable -----	42.8	
Bark - Level 1		25.2																
Bark - Level 2		0.1																
Grass - Level 1		0.6																
Grass - Level 2		0.1																
Prep - Level 1		0.8																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 2		-																

123,918 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-I. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1950 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	-	-	-	1.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	-	-	-	1.5
31	1-2	-	-	-	-	*	0.2	1.3	4.6	4.8	1.1	*	*	-	-	12.0
	3	-	-	-	-	*	0.2	1.9	9.1	14.1	5.6	0.2	*	-	-	31.1
	4	-	-	-	-	-	*	0.1	0.6	1.3	0.9	*	*	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL	-	-	-	-	*	0.4	3.3	14.3	20.2	7.6	0.3	*	-	-	46.1
41	1-2	-	-	-	-	*	*	0.4	1.7	1.7	0.3	*	-	-	-	4.2
	3	-	-	-	-	*	0.2	1.7	8.0	11.6	4.4	0.2	*	-	-	26.0
	4	-	-	-	-	*	*	0.3	1.7	3.5	2.0	0.1	*	-	-	7.7
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	0.3	2.4	11.5	17.0	6.8	0.3	*	-	-	38.4
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	0.2	0.5	0.3	0.1	"	-	-	-	1.2
61	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.2	1.0	1.6	0.8	*	*	-	0.4
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	-	3.8
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	0.3	1.4	2.2	1.2	*	*	*	-	5.2
42	1-2	-	-	-	-	-	*	*	0.3	1.2	1.8	0.9	*	*	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.5	1.0	0.7	*	*	-	4.3
	4	-	-	-	-	-	*	*	0.1	0.5	0.1	0.1	*	*	-	2.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	0.4	1.9	3.1	1.7	0.1	*	*	-	7.2
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2

Table 6-1. -- South Carolina: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL, ALL		-	-	-	-	-	*	0.9	7.0	30.2	43.5	17.7	0.7	*	-	100.0
EXTRANEIOUS MATTER															Average Staple	35.7
															Percent Tenderable	78.0
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		3.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

429,299 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-m. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed, 1996 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	2A	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.3	0.8	0.7	0.2	-	-	-	2.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	0.3	0.9	0.9	0.2	*	-	-	2.4
31	1-2	-	-	-	-	-	*	0.4	3.8	10.5	9.4	2.2	*	-	-	26.4
	3	-	-	-	-	-	-	0.4	3.5	11.2	12.3	3.8	*	-	-	31.3
	4	-	-	-	-	-	-	*	0.2	0.7	0.9	0.3	*	-	-	2.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	-	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	0.8	7.5	22.5	22.6	6.4	0.1	-	-	59.9
41	1-2	-	-	-	-	-	*	0.1	0.7	1.2	0.7	0.1	*	-	-	2.9
	3	-	-	-	-	-	*	0.3	2.1	4.2	3.3	0.9	*	-	-	10.9
	4	-	-	-	-	-	*	*	0.4	0.9	0.9	0.3	*	-	-	2.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	0.5	3.2	6.4	5.0	1.3	*	-	-	16.4
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	*	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	0.1	0.4	0.4	0.1	*	*	*	-	1.1
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
32	1-2	-	-	-	-	-	*	0.4	0.9	0.8	0.2	*	*	*	-	2.3
	3	-	-	-	-	-	0.1	0.8	2.3	2.4	0.8	*	*	*	-	6.5
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	0.2	1.3	3.6	3.5	1.2	*	*	*	-	9.7
42	1-2	-	-	-	-	*	0.1	0.4	0.4	0.2	*	*	*	*	-	1.1
	3	-	-	-	-	*	0.3	1.3	2.1	1.2	0.3	*	*	*	-	5.1
	4	-	-	-	-	*	0.1	0.4	0.8	0.5	0.2	*	*	*	-	2.0
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.4	2.1	3.3	1.9	0.5	*	*	*	-	8.3
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	0.2	0.2	*	*	*	*	*	-	0.6
	4	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	-	0.5
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	-	-	-	*	0.2	0.5	0.5	0.1	*	*	*	*	-	1.3

Table 6-m. -- Tennessee: Continued.

QUALITY	LEAF	STAPLE														TOTAL Pct.
		28 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	-	*	2.3	15.6	37.9	34.4	9.7	0.2	-	-	100.0
EXTRANEOUS MATTER															Average Staple -----	35.3
															Percent Tenderable -----	81.8
B63,961 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.																
Bark - Level 1 0.4																
Bark - Level 2 *																
Grass - Level 1 0.6																
Grass - Level 2 *																
Prep - Level 1 0.1																
Prep - Level 2 *																
Other - Level 1 *																
Other - Level 2 *																

B63,961 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-n. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed, 1995 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	*	*	0.3	1.0	2.7	5.8	6.0	3.6	1.0	*	*	*	20.5	
	3	*	*	*	*	0.1	0.5	1.8	5.0	5.3	2.3	0.7	*	*	-	15.7	
	4	-	-	*	*	*	0.1	0.2	0.6	0.7	0.3	0.1	*	-	-	2.0	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	TOTAL	*	*	*	*	0.4	1.6	4.8	11.4	12.1	6.2	1.8	*	*	*	38.3	
31	1-2	-	*	*	*	0.1	0.4	1.0	1.5	1.1	0.5	0.1	*	*	-	4.8	
	3	*	*	*	*	0.2	0.7	2.1	4.4	3.9	1.5	0.6	*	*	-	13.3	
	4	*	*	*	*	*	0.1	0.5	1.5	2.8	2.7	0.9	0.2	*	*	-	8.7
	5	*	*	*	*	*	0.3	0.8	1.2	1.0	0.3	0.1	*	-	-	3.7	
	6	*	-	*	*	*	*	0.2	0.2	0.1	*	*	*	*	-	0.5	
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL	*	*	*	*	0.1	0.4	1.9	5.5	10.0	8.8	3.3	1.0	*	*	-	31.1
41	1-2	-	*	*	*	*	0.1	0.2	0.4	0.4	0.1	*	-	-	-	-	1.1
	3	-	*	*	*	*	0.1	0.2	0.5	0.5	0.2	*	*	-	-	-	1.6
	4	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	-	0.8
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	*
	TOTAL	*	*	*	*	*	0.1	0.3	0.7	1.3	1.2	0.5	0.1	*	*	-	4.2
51	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	-	-	-	1.0
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	*	*	*	*	0.1	0.3	0.5	0.9	1.1	0.7	0.2	*	*	-	3.7
	3	*	*	*	*	*	0.1	0.3	0.8	1.5	1.4	0.7	0.2	*	*	-	5.0
	4	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	1.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	*	*	*	*	*	0.2	0.7	1.5	2.7	2.8	1.5	0.4	*	*	-	9.9
32	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	-	-	1.2
	3	*	*	*	*	*	0.1	0.2	0.6	-	1.0	0.5	0.2	*	*	-	3.7
	4	*	*	*	*	*	*	0.2	0.4	0.6	0.5	0.2	*	*	*	-	2.1
	5	-	*	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	-	1.1
	6	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	*	*	*	*	*	0.2	0.7	1.6	2.3	2.1	1.1	0.3	*	*	-	8.3
42	1-2	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	-	-	0.7
	3	-	*	*	*	*	0.1	0.1	0.2	0.4	0.4	0.2	*	*	-	-	1.5
	4	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	*	*	*	0.1	0.4	0.6	0.9	0.9	0.3	0.1	*	*	*	3.4
52	1-2	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	-	0.5
	3	-	*	*	*	*	*	0.1	0.2	0.4	0.2	*	*	*	-	-	1.0
	4	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	*	*	*	0.1	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.9

Table 6-n. -- Texas: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		25 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.4
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.2
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
63	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	0.1	*	*	*	*	*	-	0.1
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	■ 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL		*	*	*	0.3	1.6	6.0	15.9	30.1	28.9	13.3	3.8	0.1	*	*	100.0
EXTRANEous MATTER																Average Staple ----- 34.3 Percent Tenderable ----- 46.1
Bark - Level 1		20.4														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

4,238,463 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-o. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed, 1995 crop.

QUALITY	LEAF	STAPLE												TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	Pct.
11 & 21	1-2	—	—	—	—	—	—	*	*	0.1	*	—	—	—	0.1
	3	—	—	—	—	—	—	*	*	0.1	*	*	—	—	0.2
	4	—	—	—	—	—	—	*	*	*	*	*	—	—	*
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	—	*	0.1	0.1	0.1	*	—	—	0.3
31	1-2	—	—	—	—	—	*	*	0.2	0.9	1.0	0.3	*	*	2.4
	3	—	—	—	—	—	*	0.3	2.7	13.1	18.8	6.7	0.2	*	41.9
	4	—	—	—	—	—	—	0.1	0.8	3.2	5.9	3.1	0.2	*	13.3
	5	—	—	—	—	—	—	*	0.1	0.2	0.3	0.2	*	*	0.8
	6	—	—	—	—	—	—	*	*	*	*	*	*	—	*
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	TOTAL	—	—	—	—	—	*	0.5	3.9	17.4	26.0	10.2	0.4	*	58.4
41	1-2	—	—	—	—	—	—	*	0.1	0.1	0.1	*	*	—	0.4
	3	—	—	—	—	—	*	0.2	1.3	5.4	6.9	2.3	0.1	*	16.2
	4	—	—	—	—	—	*	0.2	1.1	3.5	6.3	3.2	0.1	*	14.6
	5	—	—	—	—	—	*	0.1	0.4	0.5	0.6	0.4	*	—	2.0
	6	—	—	—	—	—	—	*	0.1	0.1	0.1	*	*	—	0.3
	7	—	—	—	—	—	—	*	*	*	*	*	*	—	*
	TOTAL	—	—	—	—	—	*	0.5	2.9	9.6	14.1	6.0	0.3	*	33.5
51	1-2	—	—	—	—	—	—	*	*	—	—	—	—	—	*
	3	—	—	—	—	—	*	*	*	0.1	*	*	*	—	0.1
	4	—	—	—	—	—	*	*	*	0.1	0.1	*	*	—	0.2
	5	—	—	—	—	—	—	—	*	*	*	*	—	—	*
	6	—	—	—	—	—	—	*	*	*	*	*	—	—	*
	7	—	—	—	—	—	*	—	—	*	*	*	—	—	*
	TOTAL	—	—	—	—	—	*	*	*	0.1	0.1	*	*	—	0.4
61	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	—	—	—	—	—	—	—	—	—
71	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	TOTAL	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 & 22	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	3	—	—	—	—	—	—	*	*	*	*	*	*	—	*
	4	—	—	—	—	—	—	*	*	—	—	—	—	—	*
	5	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	6	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	7	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	TOTAL	—	—	—	—	—	—	*	*	*	*	*	*	—	*
32	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	0.1
	3	—	—	—	—	—	—	*	0.2	0.7	1.1	0.6	*	*	2.6
	4	—	—	—	—	—	—	*	0.1	0.4	0.7	0.5	0.1	*	1.8
	5	—	—	—	—	—	—	*	*	*	0.1	*	*	—	0.2
	6	—	—	—	—	—	—	—	*	*	*	*	—	—	*
	7	—	—	—	—	—	—	—	—	*	*	*	—	—	*
	TOTAL	—	—	—	—	—	—	*	0.4	1.1	1.9	1.2	0.1	*	4.7
42	1-2	—	—	—	—	—	—	*	—	—	—	—	—	—	*
	3	—	—	—	—	—	—	*	0.1	0.2	0.3	0.2	*	*	0.8
	4	—	—	—	—	—	—	*	0.1	0.2	0.5	0.3	*	*	1.1
	5	—	—	—	—	—	—	*	*	0.1	0.1	*	*	—	0.3
	6	—	—	—	—	—	—	*	*	*	*	*	*	—	0.1
	7	—	—	—	—	—	—	*	*	*	*	—	—	—	*
	TOTAL	—	—	—	—	—	—	*	0.2	0.5	0.9	0.6	*	*	2.3
52	1-2	—	—	—	—	—	—	—	—	—	—	—	—	—	*
	3	—	—	—	—	—	—	*	*	*	*	*	—	—	*
	4	—	—	—	—	—	—	*	*	*	*	*	—	—	*
	5	—	—	—	—	—	—	—	*	*	*	*	—	—	*
	6	—	—	—	—	—	—	—	*	*	*	*	—	—	*
	7	—	—	—	—	—	—	—	*	*	—	—	—	—	*
	TOTAL	—	—	—	—	—	—	*	*	*	*	*	—	—	*

Table 6-o. -- Virginia: Continued.

QUALITY	LEAF	STAPLE													TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL	-	-	-	-	-	*	1.1	7.5	29.0	43.3	18.2	0.8	*	*	*	100.0
EXTRANEIOUS MATTER																Average Staple ----- 35.7 Percent Tenderable ----- 82.7
Bark - Level 1		3.1														
Bark - Level 2		*														
Grass - Level 1		4.9														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		*														

152,615 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6-p. -- United States: Percent distribution of color, leaf and staple for upland cotton classed, 1995 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	*	*	0.1	0.3	0.7	1.7	2.7	3.8	2.5	0.2	*	*	11.8	
	3	*	*	*	*	*	0.1	0.4	1.2	1.4	1.2	1.2	0.1	*	*	5.8	
	4	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.6	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL	*	*	*	*	0.1	0.4	1.2	3.1	4.3	5.1	3.7	0.3	*	*	18.2	
31	1-2	-	*	*	*	*	*	0.1	0.7	2.4	4.3	3.1	1.1	0.1	*	*	11.8
	3	*	*	*	*	*	*	0.2	0.8	3.3	6.7	5.9	3.0	0.2	*	*	20.2
	4	*	*	*	*	*	*	0.1	0.4	0.9	1.2	0.9	0.7	0.1	*	*	4.4
	5	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	0.1	*	*	*	1.0
	6	*	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	*	*	*	0.1	0.5	2.1	7.0	12.5	10.0	4.8	0.4	*	*	37.5	
41	1-2	-	*	*	*	*	*	*	0.1	0.6	1.0	0.6	0.2	*	*	*	2.5
	3	-	*	*	*	*	*	*	0.3	1.8	4.5	3.9	1.5	0.1	*	*	12.1
	4	*	*	*	*	*	*	*	0.1	0.5	1.3	1.4	0.8	0.1	*	*	4.2
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	*	*	*	*	*	0.1	0.6	2.9	6.9	6.0	2.6	0.2	*	*	19.3
51	1-2	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	*	0.1	0.3	0.4	0.3	0.2	*	*	*	1.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
12 22	1-2	-	*	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	1.1
	3	*	*	*	*	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	*	1.3
	4	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	*	*	*	*	*	0.2	0.4	0.7	0.7	0.5	0.2	*	*	*	2.7
32	1-2	-	*	*	*	*	*	*	0.1	0.4	0.6	0.3	0.1	*	*	*	1.6
	3	*	*	*	*	*	*	0.1	0.3	1.1	1.9	1.4	0.6	*	*	*	5.4
	4	*	*	*	*	*	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	1.6
	5	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	*	*	*	*	*	*	0.2	0.6	1.9	3.1	2.2	0.9	0.1	*	*	9.1
42	1-2	-	*	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	*	*	0.7
	3	-	*	*	*	*	*	*	0.2	1.0	1.9	1.3	0.4	*	*	*	4.9
	4	-	*	*	*	*	*	*	0.1	0.4	0.9	0.8	0.3	*	*	*	2.5
	5	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	*	0.1	0.5	1.7	3.2	2.3	0.7	*	*	*	8.6
52	1-2	-	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	*	*	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	1.0
	4	-	*	*	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL	-	*	*	*	*	*	0.1	0.2	0.4	0.6	0.4	0.1	*	*	*	1.8

Table 6-p. -- United States: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	■
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
63	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.1
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL		*	*	*	0.1	0.4	1.6	5.9	18.3	32.1	27.0	13.5	1.2	0.1	*	100.0
EXTRANEous MATTER																Average Staple ----- 35.2 Percent Tenderable ----- 64.9
Bark - Level 1		6.1														
Bark - Level 2		*														
Grass - Level 1		1.5														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		*														

17,669,229 Bales classed including 772 bales from Kansas. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1996 crop

Color	Leaf	ABILENE			BIRMINGHAM			CORPUS CHRISTI
		Oklahoma	Texas 1/	Classing Office Total	Alabama	Florida	Classing Office Total	TEXAS
11 & 21	1-2	7.9	3.8	4.5	2.8	0.7	2.6	15.6
	3	1.7	0.9	1.1	0.2	0.2	0.2	2.6
	4	0.1	*	*	*	*	*	*
	5	*	*	*	-	-	-	*
	6	-	-	-	*	-	*	-
	7	-	-	-	-	-	-	-
	TOTAL	9.7	4.8	5.6	3.0	0.9	2.8	18.3
	31	16.8	8.4	9.9	18.9	11.2	18.1	14.1
31	3	18.9	14.9	15.6	25.8	36.3	27.0	5.6
	4	4.7	4.1	4.2	1.6	2.7	1.8	0.4
	5	1.0	0.6	0.7	*	*	*	*
	6	0.1	*	*	*	-	*	*
	7	*	*	*	-	-	-	*
	TOTAL	41.4	28.0	30.3	46.4	50.3	46.9	20.1
	41	0.6	2.7	2.3	2.3	1.9	2.3	6.4
	3	2.1	7.1	6.2	12.1	19.1	12.9	6.2
41	4	2.4	4.3	4.0	3.1	6.2	3.4	0.7
	5	1.4	1.3	1.4	0.1	0.2	0.1	*
	6	0.3	0.3	0.3	*	*	*	*
	7	*	*	*	*	-	*	*
	TOTAL	6.8	15.7	14.2	17.7	27.5	18.7	13.3
	51	*	0.3	0.2	*	*	*	3.4
	3	*	0.9	0.7	0.4	0.2	0.4	4.3
	4	0.1	0.6	0.5	0.4	0.4	0.4	0.6
51	5	0.1	0.3	0.2	0.1	0.1	0.1	*
	6	0.1	0.1	0.1	*	*	*	*
	7	*	*	*	-	-	-	*
	TOTAL	0.3	2.1	1.7	0.9	0.8	0.9	8.4
	61	-	*	*	*	-	*	0.6
	3	*	*	*	*	-	*	0.7
	4	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*
71	6	-	*	*	-	-	-	-
	7	-	*	*	-	-	-	-
	TOTAL	*	*	*	*	*	*	1.4
	1-2	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*
12 & 22	7	-	-	-	-	-	-	-
	1-2	0.6	1.9	1.7	0.2	*	0.2	0.1
	3	0.6	0.7	0.7	0.1	-	0.1	0.9
	4	0.1	*	*	*	-	*	0.1
	5	*	*	*	-	-	-	*
	6	-	*	*	*	-	*	-
	7	-	-	-	-	-	-	-
	TOTAL	1.3	2.6	2.4	0.3	*	0.2	0.1
32	1-2	2.4	5.7	5.1	3.0	0.5	2.7	1.3
	3	10.9	12.3	12.1	9.5	6.2	9.1	1.8
	4	5.9	3.8	4.2	1.2	1.1	1.2	0.3
	5	1.9	0.8	1.0	*	*	*	*
	6	0.1	0.1	0.1	*	-	*	*
	7	*	*	*	-	-	-	-
	TOTAL	21.4	22.7	22.4	13.7	7.8	13.0	3.5
	42	1-2	0.6	3.1	2.6	0.8	0.2	2.6
52	3	2.9	7.1	6.4	7.6	5.9	7.4	5.4
	4	4.3	4.5	4.5	3.8	4.5	3.9	1.0
	5	3.8	1.9	2.2	0.3	0.3	0.3	*
	6	1.5	0.5	0.7	*	*	*	*
	7	0.3	0.1	0.1	*	-	*	*
	TOTAL	13.4	17.2	16.5	12.5	10.9	12.3	9.0
	1-2	*	0.7	0.6	0.1	*	0.1	4.3
	3	0.1	1.5	1.3	1.6	0.4	1.4	9.0
52	4	0.1	1.0	0.9	1.3	0.8	1.2	1.7
	5	0.1	0.7	0.6	0.2	0.2	0.2	0.1
	6	0.2	0.3	0.3	*	*	*	*
	7	0.1	0.1	0.1	*	-	*	*
	TOTAL	0.6	4.3	3.6	3.2	1.5	3.0	15.1

1/ Abilene, TX includes 772 bales from Kansas. * Less than 0.05 percent.

Table 7. -- Continued.

Color	Leaf	ABILENE			BIRMINGHAM			CORPUS CHRISTI
		Oklahoma	Texas 1/	Classing Office Total	Alabama	Florida	Classing Office Total	TEXAS
62	1-2	*	*	*	*	-	*	1.3
	3	*	*	*	0.1	*	0.1	2.1
	4	*	*	*	0.1	*	0.1	0.6
	5	-	*	*	*	*	*	0.1
	6	*	*	*	*	-	*	*
	7	-	*	*	*	-	*	*
	TOTAL	--	*	0.1	0.1	0.2	*	4.0
13 & 23	1-2	*	0.1	0.1	*	-	*	*
	3	*	*	*	*	-	*	*
	4	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-
	TOTAL	--	0.1	0.1	0.1	*	*	*
33	1-2	0.1	0.2	0.2	0.1	*	*	0.1
	3	1.0	0.4	0.5	0.1	*	0.1	0.1
	4	0.8	0.1	0.3	*	*	*	*
	5	0.3	*	0.1	*	-	*	*
	6	*	*	*	-	-	-	-
	7	*	-	*	-	-	-	-
	TOTAL	--	2.2	0.8	1.1	0.2	*	0.2
43	1-2	*	0.1	0.1	*	*	*	0.2
	3	0.2	0.3	0.3	0.3	0.1	0.3	0.3
	4	0.7	0.3	0.4	0.2	*	0.2	0.1
	5	0.8	0.1	0.2	*	*	*	*
	6	0.4	*	0.1	*	-	*	*
	7	0.1	*	*	*	-	*	-
	TOTAL	--	2.3	1.0	1.2	0.6	0.1	0.6
53	1-2	*	0.1	0.1	*	-	*	0.6
	3	*	0.2	0.1	0.4	*	0.4	1.3
	4	*	0.1	0.1	0.4	*	0.3	0.4
	5	*	0.1	0.1	0.1	*	0.1	*
	6	*	*	*	*	-	*	*
	7	*	*	*	*	-	*	*
	TOTAL	--	0.1	0.5	0.4	0.9	0.1	2.3
63	1-2	-	*	*	*	-	*	0.3
	3	-	*	*	0.1	*	0.1	0.8
	4	*	*	*	0.1	*	0.1	0.3
	5	-	*	*	*	*	*	*
	6	-	*	*	*	-	*	*
	7	-	*	*	-	-	-	*
	TOTAL	--	*	*	*	0.3	*	1.5
24-54	1-7	0.4	0.2	0.2	0.1	*	0.1	0.3
25-35	1-7	-	*	*	-	-	-	-
81-85 2/	1-7	*	*	*	*	-	*	0.3
	8 3/	0.1	*	*	*	-	*	*
	TOTAL, ALL	--	100.0	100.0	100.0	100.0	100.0	100.0
<hr/>								
STAPLE								
28 & SHORTER		*	*	*	-	-	-	-
	29	0.1	0.1	0.1	-	-	-	*
	30	0.6	0.8	0.7	-	-	-	0.6
	31	2.0	3.2	3.0	*	-	*	4.7
	32	5.2	8.5	7.9	0.1	*	0.1	14.7
	33	10.8	15.4	14.6	3.8	1.0	3.5	24.5
	34	21.8	22.4	22.3	17.7	11.9	17.0	30.4
	35	27.9	25.4	25.8	34.3	46.7	35.7	19.1
	36	19.9	16.9	17.4	30.4	34.3	30.8	5.3
	37	10.7	7.1	7.7	13.2	6.0	12.4	0.5
	38 & LONGER	1.3	0.3	0.5	0.5	0.1	0.4	*
	All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	Average staple	34.8	34.4	34.4	35.3	35.3	35.3	33.6

1/ Abilene, TX includes 586 bales from Kansas. 2/ Below Color. 3/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Continued.

		DUMAS				FLORENCE			HARLINGEN	
Color	Leaf	Arkansas	Mississippi	Classing Office Total		North Carolina	South Carolina	Virginia	Classing Office Total	Texas
11 & 21	1-2	0.6	1.9	1.5		0.4	1.1	0.1	0.6	48.0
	3	0.1	0.2	0.2		0.3	0.4	0.2	0.3	3.5
	4	*	*	*		*	*	*	*	0.1
	5	*	*	*		*	-	*	*	*
	6	-	-	-		-	-	-	-	-
	7	-	-	-		-	-	-	-	-
	TOTAL	0.7	2.1	1.7		0.7	1.5	0.3	0.9	51.5
31	1-2	14.9	25.8	22.7		8.8	12.0	2.4	9.0	26.5
	3	30.7	27.9	28.7		37.6	31.1	41.9	36.2	5.6
	4	4.6	2.5	3.1		4.6	2.9	13.3	5.0	0.7
	5	0.3	0.1	0.1		0.2	0.1	0.8	0.2	*
	6	*	*	*		*	*	*	*	*
	7	*	*	*		*	*	*	*	-
	TOTAL	50.6	56.2	54.6		51.3	46.1	58.4	50.5	32.8
41	1-2	3.0	3.3	3.2		2.5	4.2	0.4	2.7	6.1
	3	16.0	12.3	13.4		22.5	26.0	16.2	22.8	1.7
	4	8.9	4.7	5.9		8.1	7.7	14.6	8.6	0.6
	5	0.8	0.3	0.4		0.8	0.5	2.0	0.9	0.1
	6	*	*	*		0.1	*	0.3	0.1	*
	7	*	*	*		*	*	*	*	*
	TOTAL	28.8	20.6	23.0		34.0	38.4	33.5	35.1	■.6
51	1-2	0.1	*	*		*	0.1	*	*	0.7
	3	0.4	0.2	0.3		0.6	0.6	0.1	0.6	0.3
	4	0.6	0.2	0.3		0.3	0.4	0.2	0.3	0.1
	5	0.2	0.1	0.1		0.1	0.1	*	0.1	0.1
	6	*	*	*		*	*	*	*	*
	7	*	*	*		*	*	*	*	-
	TOTAL	1.3	0.5	0.7		1.0	1.2	0.4	1.0	1.3
61	1-2	*	*	*		*	*	-	*	*
	3	*	*	*		*	*	-	*	*
	4	*	*	*		*	*	-	*	*
	5	*	*	*		*	*	-	*	*
	6	*	*	*		*	*	-	*	*
	7	*	*	*		*	*	-	*	-
	TOTAL	*	*	*		*	*	-	*	*
71	1-2	-	-	-		-	-	-	-	-
	3	-	-	-		-	-	-	-	-
	4	-	*	*		-	*	-	*	-
	5	-	-	-		-	-	-	-	-
	6	-	-	-		-	-	-	-	*
	7	-	*	*		-	-	-	-	-
	TOTAL	-	*	*		-	*	-	*	*
12 & 22	1-2	*	0.1	*		*	*	*	*	1.2
	3	*	*	*		*	*	*	*	0.2
	4	*	*	*		*	*	*	*	*
	5	-	*	*		*	-	-	*	*
	6	-	-	-		-	-	-	-	-
	7	-	-	-		-	-	-	-	-
	TOTAL	*	0.1	*		0.1	0.1	*	0.1	1.5
32	1-2	1.3	2.3	2.0		0.4	0.4	0.1	0.4	1.0
	3	7.0	8.2	7.9		4.4	3.8	2.6	4.0	0.4
	4	2.2	1.9	2.0		1.3	0.9	1.8	1.2	0.1
	5	0.2	0.1	0.1		0.1	0.1	0.2	0.1	*
	6	*	*	*		*	*	*	*	*
	7	*	*	*		*	*	*	*	*
	TOTAL	10.7	12.5	12.0		6.2	5.2	4.7	5.8	1.5
42	1-2	0.3	0.4	0.4		0.1	0.2	*	0.1	1.0
	3	3.0	3.3	3.2		3.2	4.3	0.8	3.2	0.5
	4	2.8	2.6	2.7		2.2	2.4	1.1	2.2	0.2
	5	0.4	0.3	0.3		0.3	0.3	0.3	0.3	*
	6	*	*	*		*	*	0.1	*	*
	7	*	*	*		*	*	*	*	*
	TOTAL	6.6	6.7	6.7		5.9	7.2	2.3	5.9	1.7
52	1-2	*	*	*		*	*	*	*	0.3
	3	0.2	0.1	0.2		0.2	0.1	*	0.1	0.3
	4	0.3	0.2	0.2		0.1	0.1	*	0.1	*
	5	0.1	0.1	0.1		*	*	*	*	*
	6	*	*	*		*	*	*	*	*
	7	*	*	*		*	*	*	*	*
	TOTAL	0.6	0.5	0.5		0.3	0.2	*	0.3	0.6

* Less than 0.05 percent.

Table 7. -- Continued.

Color	Leaf	DUMAS			FLORENCE			HARLINGEN	
		Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	Texas
62	1-2	*	*	*	*	*	-	*	0.1
	3	*	*	*	*	*	*	*	0.1
	4	*	*	*	*	-	*	*	*
	5	*	*	*	*	-	*	*	*
	6	*	*	*	*	*	*	*	-
	7	-	*	*	-	-	-	-	-
TOTAL		*	*	*	*	*	*	*	0.2
13 & 23	1-2	*	*	*	*	*	-	*	*
	3	-	*	*	*	*	*	*	-
	4	*	*	*	-	*	*	*	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
TOTAL		*	*	*	*	*	*	*	*
33	1-2	0.1	0.1	0.1	*	*	*	*	*
	3	0.1	0.1	0.1	0.1	*	0.1	0.1	*
	4	*	*	*	*	*	0.1	*	*
	5	*	*	*	*	*	*	*	*
	6	*	-	*	*	*	-	*	-
	7	-	-	-	-	-	-	-	-
TOTAL		0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1
43	1-2	*	*	*	*	*	*	*	*
	3	0.2	0.2	0.2	0.1	*	0.1	0.1	*
	4	0.1	0.1	0.1	0.1	*	0.1	0.1	*
	5	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*
	7	-	*	*	*	-	*	*	-
TOTAL		0.3	0.4	0.3	0.2	0.1	0.2	0.2	0.1
53	1-2	*	*	*	*	*	-	*	*
	3	*	*	*	*	*	*	*	*
	4	*	0.1	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*
	7	*	*	*	*	-	*	*	-
TOTAL		0.1	0.1	0.1	*	*	*	*	*
63	1-2	-	*	*	-	*	*	*	*
	3	*	*	*	*	*	-	*	*
	4	*	*	*	*	*	*	*	*
	5	*	*	*	*	-	*	*	*
	6	*	*	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-
TOTAL		*	*	*	*	*	*	*	0.1
24-54	1-7	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	-	*	*	*
	8 2/	*	*	*	*	*	*	*	-
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<hr/>									
STAPLE									
28 & SHORTER	-	-	-	-	-	-	-	-	-
29	*	*	*	*	-	-	-	-	*
30	*	*	*	*	-	-	-	-	*
31	*	*	*	*	-	-	-	-	0.8
32	0.2	0.5	0.4	*	*	*	*	*	5.7
33	2.9	7.0	5.8	1.2	0.9	1.1	1.1	22.3	
34	20.6	26.6	24.9	9.4	7.0	7.5	8.6	35.8	
35	45.7	42.2	43.2	31.8	30.2	29.0	31.1	27.1	
36	25.7	20.6	22.0	40.7	43.5	43.3	41.7	7.5	
37	4.9	3.0	3.6	16.2	17.7	18.2	16.8	0.9	
38 & LONGER	0.1	0.1	0.1	0.7	0.7	0.9	0.7	*	
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	35.1	34.9	34.9	35.6	35.7	35.7	35.7	34.1	

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Continued.

		HAYTI			LAMESA		LUBBOCK		MACON
Color	Leaf	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas 1/	Classing Office Total	Georgia
11 & 21	1-2	0.7	0.2	0.4	34.9	1.1	20.4	20.4	0.7
	3	*	*	*	21.0	3.4	20.5	20.5	0.3
	4	*	*	*	6.2	0.1	2.0	2.0	*
	5	-	-	-	0.1	-	0.2	0.2	*
	6	-	-	-	-	-	*	*	*
	7	-	-	-	*	-	*	*	-
	TOTAL	0.7	0.3	0.4	62.2	4.5	43.2	43.2	1.0
31	1-2	6.2	5.2	5.5	1.4	1.4	2.0	2.0	7.1
	3	20.7	21.1	21.0	6.0	12.7	15.7	15.7	15.7
	4	2.9	3.9	3.7	7.8	5.6	11.5	11.5	1.4
	5	0.2	0.2	0.2	1.3	4.0	5.5	5.5	*
	6	*	*	*	0.1	0.5	0.8	0.8	*
	7	-	-	-	*	0.1	*	*	*
	TOTAL	30.0	30.5	30.3	16.5	24.3	35.7	35.7	24.3
41	1-2	2.7	3.1	3.0	*	-	*	*	4.7
	3	30.8	32.5	32.0	*	-	*	*	25.1
	4	11.4	10.8	10.9	0.1	0.3	0.1	0.1	4.7
	5	1.5	1.4	1.4	0.1	1.1	0.4	0.4	0.1
	6	0.1	*	*	*	1.4	0.4	0.4	*
	7	-	*	*	*	0.1	0.1	0.1	*
	TOTAL	46.5	47.7	47.4	0.2	2.9	1.0	1.0	34.5
51	1-2	0.1	0.1	0.1	*	-	*	*	0.2
	3	0.7	0.8	0.8	-	-	*	*	1.6
	4	0.5	0.4	0.5	-	-	*	*	0.6
	5	0.2	0.1	0.1	*	-	*	*	0.1
	6	*	*	*	*	-	*	*	*
	7	*	*	*	-	-	*	*	*
	TOTAL	1.5	1.5	1.5	*	-	*	*	2.5
61	1-2	*	*	*	*	-	*	*	*
	3	*	*	*	-	-	*	*	*
	4	*	*	*	-	-	-	-	*
	5	*	*	*	-	-	-	-	*
	6	*	*	*	-	-	-	-	*
	7	*	*	*	-	-	*	*	*
	TOTAL	*	*	*	*	-	*	*	*
71	1-2	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*
	4	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-
	7	*	-	*	-	-	-	-	*
	TOTAL	*	-	*	-	-	*	*	*
12 & 22	1-2	*	*	*	9.7	1.5	3.6	3.6	*
	3	*	*	*	5.4	9.3	6.7	6.7	*
	4	-	*	*	2.2	0.6	1.3	1.3	*
	5	-	-	-	0.1	0.2	0.2	0.2	*
	6	-	-	-	-	-	*	*	-
	7	-	-	-	-	-	*	*	-
	TOTAL	*	*	*	17.4	11.5	11.8	11.8	0.1
32	1-2	0.6	0.5	0.5	0.4	1.0	0.3	0.3	0.9
	3	5.0	4.9	4.9	1.1	10.8	2.7	2.7	3.1
	4	1.6	1.6	1.6	1.2	9.2	2.2	2.2	0.6
	5	0.2	0.2	0.2	0.3	10.6	1.5	1.6	*
	6	*	*	*	*	6.1	0.4	0.4	*
	7	*	-	*	-	0.2	*	*	*
	TOTAL	7.3	7.2	7.2	3.1	37.9	7.1	7.2	4.5
42	1-2	0.5	0.5	0.5	*	-	*	*	1.9
	3	6.3	6.6	6.5	*	-	*	*	16.2
	4	3.7	3.7	3.7	*	0.1	*	*	5.2
	5	0.9	0.6	0.7	*	2.8	0.1	0.1	0.1
	6	*	*	*	*	6.2	0.1	0.1	*
	7	*	*	*	*	1.0	*	*	*
	TOTAL	11.4	11.5	11.5	0.1	10.1	0.3	0.3	23.5
52	1-2	*	*	*	*	-	*	*	0.4
	3	0.6	0.2	0.3	*	-	*	*	4.5
	4	0.5	0.2	0.3	*	-	*	*	2.3
	5	0.2	0.1	0.1	*	-	*	*	0.1
	6	*	*	*	*	-	*	*	*
	7	*	*	*	-	-	*	*	*
	TOTAL	1.3	0.6	0.8	*	-	*	*	7.4

1/ Lubbock, TX includes 337 bales from Oklahoma. * Less than 0.05 percent.

Table 7. -- Continued.

		HAYTI			LAMESA		LUBBOCK		MACON
Color	Leaf	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas 1/	Classing Office Total	Georgia
62	1-2	-	-	-	-	-	-	-	*
	3	*	*	*	-	-	*	*	0.1
	4	*	*	*	-	-	-	-	0.1
	5	*	*	*	-	-	*	*	*
	6	*	*	*	-	-	-	-	*
	7	*	*	*	-	-	-	-	*
	TOTAL	*	*	*	-	-	*	*	0.2
13 & 23	1-2	-	-	-	0.2	-	0.1	0.1	*
	3	*	*	*	*	-	0.1	0.1	*
	4	-	-	-	*	-	*	*	-
	5	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	*
	TOTAL	*	*	*	0.3	-	0.3	0.3	*
33	1-2	*	*	*	*	-	*	*	*
	3	0.1	0.1	0.1	0.1	-	0.2	0.2	*
	4	*	*	*	*	0.6	0.1	0.1	*
	5	*	*	*	*	2.4	0.1	0.1	*
	6	-	-	-	*	1.9	*	*	*
	7	-	-	-	-	0.1	*	*	-
	TOTAL	0.2	0.2	0.2	0.2	5.0	0.5	0.5	0.1
43	1-2	0.1	*	*	*	-	*	*	*
	3	0.4	0.3	0.3	*	-	*	*	0.4
	4	0.1	0.1	0.1	*	0.1	*	*	0.1
	5	*	*	*	*	1.4	*	*	*
	6	-	*	*	*	1.8	*	*	*
	7	-	-	-	-	0.4	*	*	-
	TOTAL	0.6	0.4	0.5	*	3.7	0.1	0.1	0.5
53	1-2	*	*	*	-	-	*	*	0.1
	3	0.1	*	*	-	-	*	*	0.7
	4	*	*	*	-	-	*	*	0.3
	5	*	*	*	*	-	*	*	*
	6	-	*	*	-	-	*	*	*
	7	*	*	*	-	-	*	*	*
	TOTAL	0.1	0.1	0.1	*	-	*	*	1.1
63	1-2	-	-	-	-	-	*	*	*
	3	*	*	*	-	-	*	*	0.1
	4	*	*	*	-	-	*	*	0.1
	5	*	*	*	-	-	*	*	*
	6	-	-	-	-	-	*	*	*
	7	*	*	*	-	-	*	*	-
	TOTAL	*	*	*	-	-	*	*	0.2
24-54	1-7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25-35	1-7	-	-	-	*	-	*	*	*
81-85 2/	1-7	*	*	*	*	-	*	*	*
	8 3/	*	-	*	*	-	*	*	*
	TOTAL, ALL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<hr/>									
STAPLE									
28 & SHORTER	-	-	-	-	*	-	*	*	-
29	-	-	-	-	*	-	*	*	*
30	-	-	-	-	*	-	0.2	0.2	*
31	-	*	*	*	0.3	1.5	1.1	1.1	*
32	*	*	*	*	1.4	9.5	5.1	5.1	0.2
33	1.2	2.8	2.4	8.0	25.4	15.9	15.9	15.9	2.5
34	9.0	15.3	13.6	31.4	21.3	31.3	31.3	31.3	17.1
35	25.1	34.3	31.9	38.0	7.7	29.5	29.5	29.4	43.0
36	34.1	32.8	33.1	16.7	10.5	13.2	13.2	13.2	30.8
37	27.4	13.8	17.5	4.0	22.4	3.6	3.6	3.6	6.4
38 & LONGER	3.3	0.9	1.5	0.1	1.7	0.1	0.1	0.1	*
All staples	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	35.9	35.4	35.5	34.7	34.5	34.4	34.4	34.4	35.2

1/ Lubbock, TX includes 452 bales from Oklahoma. 2/ Below Color. 3/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Continued.

		MEMPHIS					PHOENIX				
Color	Leaf	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
11 & 21	1-2	0.9	0.5	2.1	1.3	42.3	80.7	35.9	82.4	44.9	
	3	0.1	*	0.3	0.2	1.8	0.6	15.0	1.9	2.8	
	4	*	*	*	*	0.1	*	1.3	*	0.2	
	5	-	-	*	*	*	*	0.1	-	*	
	6	-	-	-	-	-	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	
	TOTAL	1.0	0.5	2.4	1.6	44.1	81.4	52.2	84.4	47.9	
31	1-2	10.1	17.0	26.4	17.8	29.3	11.4	5.6	4.0	25.8	
	3	22.2	34.3	31.3	27.4	4.3	1.0	13.7	1.8	4.8	
	4	3.1	2.4	2.2	2.6	0.6	0.3	6.7	0.2	1.1	
	5	0.2	*	0.1	0.1	0.1	0.1	1.3	*	0.2	
	6	*	*	*	:	*	-	0.1	-	*	
	7	-	-	*	*	*	-	*	-	*	
	TOTAL	35.6	53.8	59.9	47.9	34.3	12.8	27.4	6.1	31.9	
41	1-2	3.7	1.9	2.9	3.1	4.3	0.4	*	0.1	3.6	
	3	23.2	19.0	10.9	17.5	1.0	0.1	0.4	*	0.9	
	4	8.9	7.7	2.6	6.1	0.3	*	0.7	*	0.3	
	5	0.9	0.5	0.1	0.5	0.1	*	0.3	-	0.1	
	6	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	-	-	-	*	
	TOTAL	36.7	29.0	16.4	27.3	5.7	0.5	1.4	0.2	4.9	
51	1-2	0.3	*	0.1	0.2	0.2	*	-	*	0.2	
	3	1.2	0.5	0.6	0.9	*	-	*	-	*	
	4	0.5	0.6	0.3	0.4	*	-	*	-	*	
	5	0.1	0.2	0.1	0.1	*	-	*	-	*	
	6	*	*	*	*	*	-	-	-	*	
	7	*	*	*	*	*	-	-	-	*	
	TOTAL	2.1	1.3	1.1	1.6	0.2	*	*	*	0.2	
61	1-2	*	-	*	*	*	*	-	-	*	
	3	*	*	*	*	*	-	-	-	*	
	4	*	*	*	*	*	-	-	-	*	
	5	*	*	*	*	*	-	-	-	*	
	6	*	*	*	*	*	-	-	-	*	
	7	*	*	*	*	*	-	-	-	*	
	TOTAL	0.1	*	*	0.1	*	*	-	-	*	
71	1-2	-	-	*	*	-	-	-	-	-	
	3	*	-	-	*	-	-	-	-	-	
	4	*	-	-	*	-	-	-	-	-	
	5	*	-	-	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	
	TOTAL	*	-	*	*	-	-	-	-	-	
12 & 22	1-2	*	*	0.1	0.1	2.7	1.1	3.4	4.1	2.6	
	3	*	*	*	*	0.7	0.2	2.8	0.3	0.8	
	4	*	-	*	*	0.1	*	0.3	*	0.1	
	5	-	-	-	-	*	*	*	-	*	
	6	-	-	-	-	*	-	*	-	*	
	7	-	-	-	-	-	-	-	-	*	
	TOTAL	*	0.1	0.2	0.1	3.4	1.4	6.5	4.4	3.5	
32	1-2	1.5	1.4	2.3	1.8	2.4	0.8	1.1	1.7	2.2	
	3	6.7	5.6	6.5	6.4	3.0	1.2	5.4	1.7	3.1	
	4	2.0	1.0	0.9	1.4	2.2	1.1	3.4	0.4	2.2	
	5	0.1	*	*	0.1	0.3	0.2	0.7	0.1	0.4	
	6	*	-	*	*	*	*	*	-	*	
	7	-	-	-	-	*	-	-	-	*	
	TOTAL	10.2	8.0	9.7	9.7	8.0	3.3	10.7	3.8	7.9	
42	1-2	0.9	0.3	1.1	0.9	0.5	0.1	*	*	0.5	
	3	6.5	2.9	5.1	5.5	0.8	0.1	0.1	0.2	0.7	
	4	3.8	2.9	2.0	2.9	1.5	0.2	0.3	0.2	1.3	
	5	0.5	0.3	0.1	0.3	0.7	0.1	0.3	*	0.6	
	6	*	*	*	*	0.1	*	0.1	-	0.1	
	7	*	-	*	*	*	-	*	-	*	
	TOTAL	11.7	6.4	8.3	9.7	3.6	0.5	0.9	0.5	3.1	
52	1-2	0.1	*	0.1	0.1	*	*	*	-	*	
	3	0.6	0.2	0.6	0.6	*	*	-	-	*	
	4	0.4	0.3	0.5	0.4	*	-	*	-	*	
	5	0.1	0.1	0.1	0.1	*	-	-	-	*	
	6	*	*	*	*	*	-	*	-	*	
	7	*	-	*	*	*	-	*	-	*	
	TOTAL	1.2	0.6	1.3	1.2	0.1	*	*	-	0.1	

* Less than 0.05 percent.

Table 7. -- Continued.

		MEMPHIS				PHOENIX				
Color	Leaf	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	-	-	-	-	*
	4	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	-	-	-	-	*
	6	*	*	*	*	-	-	-	-	*
	7	*	-	*	*	*	-	-	-	*
	TOTAL	0.1	*	*	0.1	*	-	-	-	*
13 & 23	1-2	-	-	-	-	*	*	0.1	0.3	*
	3	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	0.1	0.3	0.1
33	1-2	0.1	*	0.1	0.1	*	*	0.1	0.2	*
	3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1
	4	*	*	*	*	0.1	*	0.1	-	0.1
	5	*	-	*	*	*	*	*	-	*
	6	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	*	-	*	-	*
	TOTAL	0.2	0.1	0.2	0.2	0.2	0.1	0.4	0.2	0.2
43	1-2	0.1	*	*	0.1	*	*	*	*	*
	3	0.5	0.1	0.2	0.3	*	*	*	*	*
	4	0.1	0.1	0.1	0.1	0.1	*	0.1	*	0.1
	5	*	*	*	*	0.1	-	0.1	*	0.1
	6	*	-	*	*	*	-	0.1	*	*
	7	*	-	*	*	*	*	0.1	-	*
	TOTAL	0.8	0.2	0.3	0.5	0.3	*	0.3	0.1	0.3
53	1-2	*	-	*	*	*	-	-	-	*
	3	0.1	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	-	-	-	*
	7	*	-	*	*	*	-	-	-	*
	TOTAL	0.1	*	0.1	0.1	*	-	*	-	*
63	1-2	*	-	*	*	-	-	-	-	-
	3	*	-	*	*	-	-	-	-	-
	4	*	-	*	*	-	-	-	-	-
	5	*	-	*	*	-	-	-	-	-
	6	*	-	*	*	*	-	-	-	-
	7	-	-	*	*	*	-	*	-	*
	TOTAL	*	-	*	*	*	-	*	-	*
24-54	1-7	0.1	*	*	0.1	*	-	0.1	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	-	*	*	*	-	-	-	*
8 2/	*	-	-	*	*	*	-	*	-	*
	TOTAL, ALL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
STAPLE										
28 & SHORTER		-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-
30		-	-	-	-	*	-	-	-	*
31		-	-	-	-	*	*	-	-	*
32	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1
33		1.4	4.5	2.3	2.2	1.2	1.3	0.5	0.2	1.1
34		11.4	25.1	15.6	14.7	7.3	8.2	1.7	6.0	6.9
35		32.0	43.6	37.9	35.8	25.3	31.9	5.9	32.0	24.2
36		37.0	22.9	34.4	34.3	39.5	41.4	11.3	40.2	37.3
37		17.6	3.8	9.7	12.7	23.4	16.3	33.5	18.4	23.7
38 & LONGER		0.6	0.1	0.2	0.4	3.2	0.8	46.8	3.1	6.7
All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		35.6	35.0	35.3	35.4	35.9	35.7	37.3	35.8	36.0

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- Continued.

		RAYVILLE				VISALIA
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California
11 & 21	1-2	0.1	1.4	0.4	1.4	34.3
	3	*	0.1	0.1	0.1	15.3
	4	-	*	-	*	0.6
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL	0.1	1.4	0.5	1.4	50.3
31	1-2	4.2	16.3	14.3	16.2	6.8
	3	15.7	16.1	36.6	16.3	17.6
	4	2.2	1.7	3.4	1.7	5.5
	5	0.1	0.1	*	0.1	0.4
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL	22.2	34.1	54.3	34.3	30.3
41	1-2	0.8	2.5	1.3	2.5	1.1
	3	18.2	11.5	20.0	11.6	4.8
	4	12.1	4.3	8.2	4.4	3.4
	5	1.4	0.3	0.2	0.3	0.6
	6	*	*	-	*	0.1
	7	-	*	-	*	*
	TOTAL	32.5	18.6	29.7	18.8	9.9
51	1-2	-	*	-	*	0.4
	3	*	0.1	-	0.1	1.5
	4	0.3	0.1	-	0.1	0.7
	5	0.1	*	-	*	0.2
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL	0.5	0.1	-	0.1	2.8
61	1-2	-	-	-	-	0.1
	3	-	-	-	-	0.2
	4	-	*	-	*	0.1
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL	-	*	-	*	0.4
71	1-2	-	-	-	-	*
	3	-	-	-	-	*
	4	-	-	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL	-	-	-	-	*
12 & 22	1-2	-	0.2	*	0.1	0.5
	3	-	*	*	*	0.4
	4	-	*	-	*	*
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	-
	TOTAL	-	0.2	*	0.2	1.0
32	1-2	0.5	5.9	0.8	5.8	0.4
	3	5.9	16.1	6.3	15.9	1.4
	4	2.9	3.5	1.5	3.5	0.3
	5	0.3	0.2	*	0.2	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL	9.6	25.8	8.6	25.5	2.2
42	1-2	0.1	1.3	0.1	1.2	0.1
	3	9.7	9.2	2.8	9.2	0.6
	4	20.2	6.1	3.1	6.2	0.4
	5	3.5	0.8	0.3	0.8	0.1
	6	0.3	*	-	*	*
	7	*	*	-	*	*
	TOTAL	33.9	17.5	6.3	17.4	1.3
52	1-2	-	*	-	*	*
	3	0.1	0.2	0.1	0.2	0.2
	4	0.3	0.2	0.1	0.2	0.1
	5	0.2	0.1	-	0.1	0.1
	6	*	*	-	*	*
	7	-	*	-	*	*
	TOTAL	0.7	0.5	0.2	0.5	0.4

* Less than 0.05 percent.

Table 7. -- Continued.

Color	Leaf	RAYVILLE			VISALIA	
		Arkansas	Louisiana	Mississippi	Classing Office Total	California
62	1-2	-	*	-	-	-
	3	-	*	-	-	0.1
	4	*	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
	TOTAL	-	*	-	-	0.1
13 & 23	1-2	-	*	-	-	0.1
	3	-	*	-	-	*
	4	-	-	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
	TOTAL	-	*	-	-	0.1
33	1-2	-	0.2	-	0.1	0.1
	3	*	0.4	*	0.4	0.3
	4	-	0.1	-	0.1	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL	-	*	0.1	0.6	0.5
43	1-2	-	0.1	*	0.1	*
	3	0.2	0.6	0.2	0.6	0.2
	4	0.2	0.3	*	0.3	0.1
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL	0.3	1.0	0.3	1.0	0.4
53	1-2	-	*	-	*	*
	3	-	0.1	-	0.1	0.1
	4	0.1	0.1	*	0.1	*
	5	*	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL	0.1	0.1	*	0.1	0.1
63	1-2	-	*	-	*	*
	3	-	*	-	*	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL	-	*	-	*	*
24-54	1-7	-	0.1	*	0.1	0.2
25-35	1-7	-	*	-	*	*
81-85 1/	1-7	*	*	-	*	*
	8 2/	-	*	-	*	*
	TOTAL, ALL	100.0	100.0	100.0	100.0	100.0
<hr/>						
STAPLE						
28 & SHORTER	-	-	-	-	-	-
29	-	-	-	-	-	-
30	-	*	-	*	*	-
31	*	*	-	*	*	-
32	-	0.1	*	-	0.1	*
33	0.7	4.1	1.4	-	4.0	*
34	9.5	24.7	12.9	-	24.5	0.4
35	38.0	44.4	36.8	-	44.3	7.6
36	38.9	21.8	36.9	-	22.0	35.5
37	12.5	4.8	11.9	-	4.9	50.1
38 & LONGER	0.4	0.1	0.2	-	0.1	6.4
All staples	100.0	100.0	100.0	100.0	100.0	100.0
Average staple	35.5	35.0	35.5	35.0	36.6	

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1996 crop

		ABILENE			BIRMINGHAM			CORPUS CHRISTI
	Mike and Fiber Strength	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas
Mike	24 & below	0.7	0.1	0.2	*	*	*	-
	25	0.6	0.1	0.2	*	*	*	-
	26	0.9	0.2	0.3	*	*	*	*
	27	1.4	0.3	0.5	0.1	0.1	0.1	*
	28	1.6	0.5	0.7	0.1	0.2	0.1	*
	29	2.2	0.8	1.0	0.2	0.2	0.2	*
	30	2.8	1.1	1.4	0.4	0.5	0.4	*
	31	3.7	1.5	1.9	0.5	0.6	0.5	*
	32	4.2	1.9	2.3	0.6	0.8	0.6	*
	33	5.3	2.4	2.9	1.0	1.6	1.1	0.1
	34	6.1	2.8	3.4	1.1	1.8	1.2	0.1
	35	6.9	3.3	3.9	2.0	3.3	2.1	0.1
	36	7.7	3.6	4.3	2.4	3.7	2.5	0.2
	37	7.7	3.8	4.5	3.3	4.4	3.5	0.2
	38	7.4	4.1	4.7	5.2	6.0	5.3	0.3
	39	7.1	4.3	4.8	5.9	5.5	5.8	0.5
	40	6.4	4.6	4.9	8.1	7.3	8.0	0.8
	41	5.7	4.8	5.0	9.5	8.5	9.4	1.1
	42	4.8	5.0	4.9	10.6	9.4	10.4	1.8
	43	3.9	5.3	5.0	12.0	11.5	12.0	2.8
	44	2.9	5.4	5.0	10.5	10.9	10.5	3.9
	45	2.3	5.7	5.1	8.1	9.1	8.2	5.5
	46	1.8	5.7	5.0	6.8	7.0	6.8	7.7
	47	1.4	5.8	5.0	4.8	3.9	4.7	9.7
	48	1.1	5.7	4.9	3.4	2.1	3.3	12.2
	49	0.9	5.3	4.6	1.7	0.8	1.6	13.1
	50	0.8	4.8	4.1	0.9	0.4	0.8	12.3
	51	0.6	4.1	3.5	0.5	0.3	0.5	10.8
	52	0.5	3.4	2.9	0.2	0.2	0.2	8.4
	53	0.3	1.9	1.6	0.1	*	0.1	4.8
	54	0.1	0.9	0.7	*	*	*	2.1
	55	0.1	0.5	0.4	*	*	*	0.9
	56	*	0.2	0.2	*	-	*	0.4
	57	*	0.1	0.1	*	-	*	0.2
	58	*	0.1	0.1	-	-	-	-
	59	*	*	*	-	-	-	*
	60 & above	-	*	*	-	-	-	-
Average mike		37	43	42	42	41	42	48
Fiber Strength 1/								
17 & below	*	*	*	-	-	-	-	*
18	*	*	*	-	-	-	-	*
19	0.2	0.1	0.1	*	-	*	*	*
20	0.4	0.1	0.2	*	*	*	*	0.1
21	1.0	0.4	0.5	*	*	*	*	0.2
22	2.5	1.3	1.5	0.1	0.1	0.1	0.1	0.9
23	4.3	2.7	3.0	0.3	0.2	0.3	0.3	3.1
24	6.8	4.9	5.3	1.7	1.2	1.7	1.7	8.9
25	10.0	8.1	8.4	6.0	5.1	5.9	5.9	17.4
26	12.9	11.5	11.7	12.8	14.2	13.0	13.0	23.4
27	14.0	15.1	14.9	20.4	25.7	21.0	21.0	20.9
28	13.8	16.9	16.3	23.0	25.4	23.3	23.3	13.6
29	11.9	15.9	15.2	18.2	15.8	17.9	17.9	6.9
30	8.9	11.6	11.1	10.4	7.6	10.1	10.1	3.1
31	6.0	6.5	6.4	4.8	3.2	4.6	4.6	1.0
32	3.7	3.0	3.1	1.7	1.0	1.7	1.7	0.2
33	2.1	1.3	1.4	0.5	0.3	0.5	0.5	0.1
34	0.9	0.5	0.5	0.1	0.1	0.1	0.1	*
35	0.3	0.1	0.1	*	*	*	*	*
36 & above	0.2	*	*	*	*	*	*	*
Average strength		27.4	27.7	27.7	27.9	27.7	27.9	26.4

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

			DUMAS			FLORENCE			HARLINGEN
Mike and Fiber Strength		Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	Texas
Mik#	24 & below	*	*	-	*	*	-	*	-
25	*	*	*	*	*	*	*	*	-
26	*	*	*	*	*	0.1	*	*	*
27	*	*	*	*	*	0.1	*	0.1	*
28	0.1	*	*	0.1	0.1	0.2	*	0.1	*
29	0.1	*	*	*	0.1	0.2	0.1	0.1	*
30	0.2	0.1	*	*	0.2	0.4	0.3	0.3	*
31	0.2	0.1	*	*	0.3	0.5	0.4	0.3	*
32	0.3	0.1	0.1	0.1	0.5	0.6	0.8	0.5	*
33	0.4	0.2	0.1	0.1	1.0	0.9	1.8	1.0	0.1
34	0.6	0.2	0.1	0.1	1.3	1.1	2.7	1.4	0.1
35	1.0	0.2	0.3	0.3	3.1	2.1	6.7	3.2	0.1
36	1.4	0.3	0.4	0.4	4.6	2.9	9.7	4.6	0.2
37	2.1	0.5	0.5	0.5	6.8	3.8	13.7	6.7	0.4
38	3.4	0.7	0.9	0.9	10.4	5.5	18.1	9.8	0.6
39	4.1	0.9	1.1	1.1	10.4	5.7	14.3	9.5	0.8
40	5.8	1.6	1.8	1.8	12.5	7.4	12.3	11.0	1.1
41	7.5	2.4	2.6	2.6	12.3	8.0	7.9	10.7	1.5
42	8.8	3.5	3.6	3.6	11.0	8.2	4.9	9.6	2.1
43	10.9	5.2	5.3	5.3	9.6	9.3	3.1	8.9	3.7
44	10.5	6.4	6.6	6.6	6.5	8.1	1.6	6.4	5.0
45	9.6	7.4	7.7	7.7	4.1	7.0	0.8	4.6	6.5
46	9.3	8.9	9.7	9.7	2.6	6.4	0.4	3.4	8.5
47	7.7	9.8	11.1	11.1	1.4	5.5	0.2	2.4	9.4
48	6.4	10.9	12.4	12.4	0.7	4.8	0.1	1.8	12.2
49	4.1	10.4	11.2	11.2	0.3	3.5	*	1.2	10.9
50	2.4	8.8	9.0	9.0	0.1	2.6	*	0.8	9.8
51	1.5	8.0	7.2	7.2	0.1	2.0	*	0.6	9.3
52	0.8	5.9	4.6	4.6	*	1.3	*	0.4	7.0
53	0.5	4.0	2.4	2.4	*	1.0	*	0.3	5.5
54	0.2	2.0	0.8	0.8	*	0.5	*	0.1	3.0
55	0.1	0.9	0.4	0.4	*	0.3	*	0.1	1.2
56	*	0.3	0.2	0.2	*	0.1	-	*	0.4
57	*	0.2	-	-	*	*	-	*	0.2
58	*	0.1	-	-	*	*	-	*	*
59	*	*	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	44	47	46	46	40	43	38	41	48
Fiber Strength 1/ 17 & below	-	-	-	-	-	-	-	-	-
18	*	*	*	*	-	-	-	-	-
19	*	*	*	*	-	-	-	-	-
20	*	*	*	*	-	-	-	-	*
21	*	*	*	*	-	-	-	-	*
22	0.1	*	*	*	0.1	*	0.1	0.1	0.1
23	0.5	0.2	0.1	0.1	1.2	0.1	0.7	0.8	1.2
24	2.2	1.2	0.4	0.4	6.1	0.8	5.6	4.6	4.8
25	7.0	4.4	1.5	1.5	15.9	3.1	18.2	12.6	11.4
26	16.7	12.9	5.4	5.4	22.0	8.1	27.8	18.8	19.7
27	26.1	24.9	14.1	14.1	20.3	15.1	24.4	19.3	23.0
28	24.9	26.2	21.8	21.8	15.2	20.3	13.4	16.5	18.8
29	13.9	16.8	20.2	20.2	10.3	20.9	6.0	12.8	10.7
30	5.8	8.8	15.3	15.3	5.7	16.3	2.5	8.3	5.3
31	2.2	3.4	11.4	11.4	2.3	9.5	1.0	4.2	2.9
32	0.6	0.9	6.8	6.8	0.6	4.2	0.3	1.6	1.5
33	0.1	0.1	2.3	2.3	0.1	1.4	0.1	0.5	0.5
34	*	0.1	0.5	0.5	*	0.3	*	0.1	*
35	*	*	0.2	0.2	*	*	*	*	-
36 & above	*	*	*	*	*	*	*	*	-
Average strength	27.4	27.8	27.7	27.7	26.9	28.6	26.7	27.3	27.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

	HAYTI			LAMESA		LUBBOCK		MACON
Mike and Fiber Strength	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas 1/	Classing Office Total	Georgia
Mike 24 & below	-	-	-	0.2	0.1	0.3	0.3	*
25	-	-	-	0.4	-	0.3	0.3	*
26	-	-	-	0.8	0.1	0.7	0.7	0.1
27	-	*	*	1.4	0.1	1.1	1.1	0.1
28	-	*	*	2.3	0.4	1.6	1.6	0.1
29	*	*	*	2.8	2.0	2.3	2.3	0.2
30	0.1	0.1	0.1	3.5	4.7	3.3	3.3	0.2
31	*	0.1	0.1	4.0	5.5	4.3	4.3	0.3
32	0.4	0.5	0.4	4.9	7.1	5.2	5.2	0.5
33	1.1	1.0	1.1	5.6	7.7	6.1	6.1	0.8
34	1.6	1.7	1.7	5.9	7.6	6.8	6.8	1.0
35	1.9	2.4	2.3	6.4	6.1	7.3	7.3	1.8
36	3.0	3.8	3.6	6.8	6.5	7.5	7.5	2.2
37	4.0	5.4	5.0	6.9	5.6	7.3	7.3	2.9
38	5.6	7.5	7.0	7.0	5.3	7.0	7.0	4.0
39	6.8	8.9	8.4	6.8	4.9	6.4	6.4	4.5
40	7.9	10.1	9.5	6.4	4.0	5.8	5.8	5.9
41	9.5	11.0	10.6	6.0	3.8	5.1	5.1	6.9
42	9.4	10.9	10.5	5.4	4.3	4.5	4.5	7.8
43	9.2	9.8	9.6	4.5	4.0	3.9	3.9	9.3
44	8.8	8.3	8.4	3.5	4.1	3.3	3.3	9.2
45	7.6	6.2	6.6	2.7	3.3	2.7	2.7	8.6
46	6.4	4.5	5.0	2.0	2.9	2.2	2.2	8.5
47	5.2	3.1	3.7	1.5	3.1	1.7	1.7	7.4
48	3.7	2.0	2.5	1.0	2.5	1.3	1.3	6.4
49	2.6	1.3	1.6	0.7	1.3	1.1	1.1	4.4
50	1.9	0.7	1.0	0.4	1.4	0.5	0.5	2.9
51	1.2	0.4	0.6	0.1	0.6	0.2	0.2	2.0
52	0.8	0.2	0.4	0.1	0.4	0.1	0.1	1.2
53	0.6	0.1	0.2	*	0.4	0.1	0.1	0.5
54	0.4	*	0.1	*	0.2	*	*	0.2
55	0.3	*	0.1	*	-	*	*	0.1
56	*	*	*	*	-	*	*	*
57	*	*	*	-	-	*	*	*
58	*	*	*	-	-	*	*	-
59	-	-	-	-	-	*	*	-
60 & above	-	-	-	-	-	*	*	-
Average mike	42	41	42	37	38	37	37	43
Fiber Strength 1/ 17 & below	-	-	-	*	-	*	*	-
18	-	-	-	*	-	*	*	*
19	-	*	*	*	-	*	*	*
20	-	*	*	0.1	-	*	*	*
21	*	*	*	0.2	-	0.1	0.1	*
22	*	*	*	0.6	0.3	0.4	0.4	*
23	0.1	0.1	0.1	1.4	1.2	1.1	1.1	0.1
24	1.7	1.6	1.6	3.4	5.4	3.1	3.1	1.0
25	8.2	8.3	8.3	7.6	15.1	7.2	7.2	5.2
26	16.2	18.3	17.8	12.4	26.1	13.2	13.2	11.3
27	20.6	21.7	21.4	17.7	23.0	19.7	19.7	17.4
28	19.3	19.3	19.3	19.7	18.3	22.3	22.3	20.2
29	14.9	14.1	14.3	17.1	6.9	17.7	17.7	18.5
30	9.5	9.1	9.2	11.1	3.0	9.6	9.6	13.3
31	5.6	4.9	5.1	5.7	0.7	3.9	3.9	7.4
32	2.8	2.0	2.2	2.3	0.1	1.4	1.4	3.5
33	0.8	0.5	0.6	0.6	-	0.3	0.3	1.5
34	0.3	0.2	0.2	0.1	-	*	*	0.5
35	0.1	*	0.1	*	-	*	*	*
36 & above	*	*	*	*	-	*	*	*
Average strength	27.8	27.7	27.7	27.8	26.7	27.7	27.7	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

MEMPHIS					PHOENIX					
Mike and Fiber Strength		Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
Mike	24 & below	-	-	-	-	*	*	0.1	-	*
	25	*	*	*	*	0.1	*	0.2	-	0.1
	26	*	*	*	*	0.1	*	0.2	*	0.1
	27	*	*	*	*	0.1	0.1	0.5	0.4	0.2
	28	*	*	0.1	0.1	0.2	0.1	0.8	0.6	0.3
	29	0.1	0.1	0.1	0.1	0.3	0.1	0.8	0.6	0.3
	30	0.2	0.1	0.2	0.2	0.4	0.1	1.7	0.6	0.5
	31	0.3	0.1	0.3	0.3	0.4	0.1	2.0	0.8	0.6
	32	0.4	0.2	0.4	0.4	0.5	0.2	2.4	1.4	0.6
	33	0.7	0.3	0.6	0.6	0.5	0.2	3.6	2.2	0.8
	34	0.9	0.5	0.7	0.8	0.8	0.2	5.0	3.2	1.1
	35	1.6	0.9	1.3	1.4	0.8	0.4	6.1	3.3	1.3
	36	2.6	1.2	1.7	2.0	0.9	0.4	7.4	5.3	1.5
	37	3.7	1.5	2.2	2.8	1.0	0.4	8.9	6.0	1.7
	38	5.8	2.4	3.5	4.4	1.2	0.5	9.9	9.0	1.9
	39	6.9	2.9	4.1	5.3	1.4	0.7	10.1	9.2	2.2
	40	8.6	4.2	5.5	6.8	1.9	1.4	10.0	11.1	2.6
	41	9.7	5.6	7.2	8.2	2.3	2.6	8.8	9.1	3.0
	42	10.2	7.2	8.5	9.1	3.0	4.6	7.1	9.4	3.5
	43	10.5	9.3	10.6	10.4	3.8	6.1	5.0	10.2	4.1
	44	9.0	9.6	10.5	9.7	4.8	6.6	3.5	6.8	4.9
	45	7.4	9.5	9.9	8.7	5.6	10.7	2.0	5.3	5.7
	46	6.3	9.7	9.1	7.9	6.9	13.1	1.5	2.4	6.8
	47	5.1	9.4	7.9	6.7	8.1	11.5	0.9	1.5	7.6
	48	3.9	8.9	6.3	5.5	9.2	9.9	0.5	0.5	8.4
	49	2.6	6.4	4.0	3.6	9.3	8.5	0.3	0.2	8.4
	50	1.6	4.5	2.5	2.3	9.0	7.5	0.2	0.5	8.1
	51	1.0	2.8	1.5	1.4	8.5	5.5	0.1	0.2	7.5
	52	0.5	1.4	0.7	0.7	7.0	4.4	0.1	0.1	6.1
	53	0.3	0.9	0.4	0.4	5.2	2.3	*	0.1	4.5
	54	0.1	0.3	0.1	0.1	3.5	1.2	*	*	3.0
	55	*	0.1	*	*	2.1	0.4	*	0.1	1.0
	56	*	*	*	*	0.6	0.1	*	*	0.5
	57	-	-	-	-	0.2	-	-	-	0.1
	58	-	-	-	-	*	-	-	-	*
	59	-	-	-	-	*	-	-	-	*
	60 & above	-	-	-	-	*	*	-	-	*
Average mike		42	45	44	43	47	47	38	40	46
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	*	-	-	-	*
21	*	*	*	*	*	*	-	-	-	*
22	*	*	0.1	*	*	0.1	*	*	*	0.1
23	0.2	0.5	0.6	0.4	0.3	0.3	0.1	0.2	0.3	
24	1.0	2.0	2.0	1.6	1.1	0.7	0.4	0.6	1.0	
25	5.2	8.6	8.3	6.9	3.0	3.2	1.1	2.1	2.9	
26	12.9	16.5	16.1	14.7	6.5	7.2	2.8	4.9	6.2	
27	23.7	23.6	23.5	23.6	11.3	14.1	4.9	15.5	11.0	
28	26.0	23.0	23.5	24.6	17.2	20.1	7.9	27.1	16.8	
29	17.7	15.2	15.5	16.5	21.2	21.0	11.5	25.4	20.4	
30	8.5	7.2	7.3	7.8	18.0	17.2	15.1	11.7	17.6	
31	3.5	2.8	2.6	3.1	11.1	9.9	17.1	5.1	11.4	
32	0.8	0.4	0.3	0.6	5.7	3.2	16.8	4.8	6.5	
33	0.3	0.1	0.1	0.2	2.6	1.4	12.4	1.7	3.3	
34	0.1	*	*	*	1.1	1.1	6.6	0.6	1.6	
35	*	*	*	*	0.5	0.5	2.4	0.1	0.6	
36 & above	*	*	*	*	0.2	0.1	1.0	0.1	0.3	
Average strength		27.8	27.5	27.5	27.6	29.0	28.7	30.7	28.6	29.1

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 8. -- Continued.

		RAYVILLE			VISALIA	
	Mike and Fiber Strength	Arkansas	Louisiana	Mississippi	Classing Office Total	United States
Mike	24 & below	-	-	-	-	*
	25	-	*	-	*	0.1
	26	*	*	-	*	0.1
	27	*	*	-	*	0.2
	28	*	*	-	*	0.3
	29	*	*	-	*	0.4
	30	0.1	*	-	*	0.5
	31	0.1	*	-	*	0.8
	32	0.1	*	-	*	1.0
	33	0.1	*	-	*	1.3
	34	0.1	0.1	-	0.1	1.6
	35	0.4	0.1	*	0.1	2.5
	36	0.5	0.1	*	0.1	3.0
	37	1.4	0.2	0.1	0.2	3.6
	38	2.3	0.2	0.1	0.2	4.6
	39	3.1	0.3	0.1	0.3	5.1
	40	4.9	0.5	0.2	0.5	6.1
	41	6.3	0.7	0.4	0.7	6.9
	42	7.9	1.1	1.3	1.1	7.4
	43	9.3	2.1	3.4	2.1	7.8
	44	9.0	3.1	4.8	3.2	7.0
	45	9.4	4.8	6.5	4.8	6.1
	46	10.4	7.2	8.9	7.2	5.8
	47	9.9	9.3	12.0	9.3	5.3
	48	10.6	13.2	16.9	13.2	5.2
	49	6.6	13.9	15.8	13.9	4.4
	50	3.7	13.7	11.9	13.7	3.6
	51	2.4	11.6	7.7	11.5	3.0
	52	1.1	7.8	4.8	7.8	2.1
	53	0.3	5.5	3.1	5.4	1.4
	54	0.1	3.0	1.4	2.9	0.7
	55	*	1.2	0.4	1.2	0.3
	56	-	0.1	0.1	0.1	0.1
	57	-	*	*	*	*
	58	-	-	-	-	*
	59	-	-	-	-	*
	60 & above	-	-	-	-	*
Average mike		45	49	48	49	42
Fiber Strength 1/						43
17 & below		-	-	-	-	*
18		-	-	-	-	*
19		*	-	*	-	*
20		*	-	*	-	*
21		*	-	*	-	*
22	*	*	-	*	-	0.2
23	0.1	0.1	*	0.1	-	0.6
24	0.5	0.7	0.2	0.7	*	2.1
25	2.6	3.6	1.3	3.6	*	6.1
26	10.3	12.4	6.2	12.3	*	12.1
27	25.0	23.4	19.9	23.4	0.1	18.0
28	28.7	23.2	31.3	23.3	0.4	18.9
29	18.0	16.6	25.2	16.7	1.2	14.6
30	9.5	11.7	11.5	11.7	3.8	9.4
31	3.9	5.8	3.3	5.8	11.5	5.7
32	1.2	2.0	0.8	2.0	23.7	4.5
33	0.2	0.5	0.1	0.5	28.8	3.9
34	-	*	*	*	19.4	2.4
35	-	*	-	*	8.1	1.0
36 & above	-	*	-	*	3.0	0.4
Average strength		28.0	28.1	28.3	28.1	32.8
						28.4

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 9. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1995

Mike and Fiber Strength	ABILENE			BIRMINGHAM			CORPUS CHRISTI
	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas
Uniformity 1/ 72 & below							
73	-	*	*	-	-	-	-
74	*	*	*	-	-	-	-
75	*	*	*	*	*	*	-
76	0.1	0.1	0.1	*	*	*	*
77	0.9	0.5	0.6	0.3	0.1	0.3	0.1
78	3.8	3.2	3.3	1.8	1.0	1.7	1.1
79	12.9	13.3	13.2	7.6	5.1	7.4	6.6
80	26.2	27.5	27.2	22.4	22.0	22.3	22.7
81	29.5	29.7	29.6	34.5	40.4	35.2	36.6
82	18.9	18.1	18.3	24.1	24.5	24.1	23.6
83	6.3	6.2	6.2	8.1	6.2	7.9	7.3
84	1.2	1.3	1.3	1.2	0.6	1.1	1.5
85	0.2	0.2	0.2	*	*	*	0.2
86	*	*	*	*	*	*	-
87	*	*	*	*	-	*	-
88	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-
Average uniformity	80.7	80.7	80.7	81.0	81.0	81.0	81.0
Trash 2/							
00	0.5	0.7	0.7	0.2	0.1	0.2	5.3
01	15.1	17.8	17.3	12.6	6.8	12.0	33.4
02	25.2	27.3	26.9	31.4	26.5	30.9	27.9
03	19.0	20.8	20.4	26.0	29.8	26.5	15.1
04	12.6	12.7	12.7	14.5	18.3	14.9	7.7
05	8.4	7.5	7.7	7.4	9.4	7.6	3.9
06	5.6	4.4	4.6	3.9	4.8	4.0	2.2
07	3.7	2.8	2.9	2.1	2.6	2.1	1.4
08	2.6	1.8	1.9	1.2	1.3	1.2	0.9
09	1.9	1.2	1.3	0.2	0.2	0.2	0.6
10	1.4	0.9	1.0	0.2	0.1	0.2	0.6
11	1.0	0.6	0.7	0.1	0.1	0.1	0.4
12	0.8	0.4	0.5	0.1	0.1	0.1	0.1
13	0.6	0.3	0.4	*	*	*	0.1
14	0.5	0.3	0.3	*	*	*	0.1
15	0.3	0.2	0.2	*	*	*	*
16	0.1	0.1	0.1	*	-	*	*
17	0.1	*	0.1	*	*	*	*
18 & above	0.5	0.2	0.2	*	-	*	0.2
Average trash	0.38	0.33	0.34	0.30	0.33	0.31	0.24

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length uniformity would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles in extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued

Mike and Fiber Strength	DUMAS			FLORENCE			HARLINGEN	
	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	Texas
Uniformity 1/ 72 & below	-	*	*	-	-	-	-	-
73	-	*	*	-	-	-	-	-
74	*	-	*	-	-	-	-	-
75	*	*	*	-	-	-	-	-
76	*	*	*	-	-	-	-	*
77	*	*	*	0.1	*	*	*	*
78	0.5	0.2	0.1	0.7	0.4	0.4	0.6	0.6
79	3.6	1.5	1.3	4.6	2.9	3.2	4.0	4.7
80	15.3	8.8	7.5	17.0	12.8	13.9	15.6	17.1
81	37.2	31.5	25.8	34.2	32.0	31.5	33.3	33.2
82	32.8	41.0	39.4	30.2	35.0	32.8	31.8	30.1
83	9.4	15.4	22.1	11.5	14.3	15.3	12.6	12.4
84	1.1	1.7	3.6	1.7	2.4	2.7	2.0	1.8
85	*	*	0.1	0.1	0.1	0.1	0.1	*
86	*	*	*	-	-	-	-	*
87	*	*	*	-	-	-	-	-
88	*	*	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.3	81.7	81.6	81.3	81.5	81.5	81.4	81.3
Trash 2/								
00	0.1	0.2	0.7	0.1	0.2	*	0.1	6.3
01	5.5	10.3	14.4	6.8	7.5	2.1	6.5	54.3
02	22.8	29.3	26.7	22.7	23.4	12.4	21.9	26.6
03	29.3	28.5	23.7	26.2	26.5	22.9	25.9	8.1
04	20.8	16.9	15.4	19.5	19.0	23.4	19.7	2.6
05	11.1	8.0	8.7	11.5	10.9	16.9	11.9	1.0
06	5.2	3.4	4.5	6.1	5.7	10.2	6.4	0.4
07	2.5	1.6	2.4	3.2	3.0	5.5	3.4	0.3
08	1.3	0.8	1.4	1.8	1.6	2.9	1.8	0.1
09	0.7	0.4	0.8	1.0	0.9	1.7	1.0	0.1
10	0.4	0.2	0.5	0.6	0.5	0.9	0.6	0.1
11	0.2	0.1	0.3	0.4	0.3	0.5	0.4	*
12	0.1	0.1	0.2	0.2	0.2	0.3	0.2	*
13	0.1	0.1	0.1	*	*	*	*	*
14	*	*	0.1	*	*	*	*	*
15	*	*	0.1	*	*	*	*	*
16	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*
18 & above	*	*	*	*	*	*	*	*
Average trash	0.35	0.31	0.32	0.36	0.36	0.43	0.37	0.16

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued

Mike and Fiber Strength	HAYTI			LAMESA		LUBBOCK		MACON
	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas 1/	Classing Office Total	Georgia
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-
74	-	-	-	*	-	-	-	-
75	*	*	*	*	-	*	*	*
76	*	*	*	*	-	*	*	*
77	0.1	0.1	0.1	*	-	0.3	0.3	*
78	0.8	0.8	0.8	1.0	0.4	1.6	1.6	0.9
79	5.3	6.5	6.1	7.0	2.7	7.4	7.4	7.2
80	19.0	25.7	23.9	21.3	15.6	20.2	20.2	25.1
81	34.6	38.3	37.3	32.4	35.0	31.6	31.6	39.5
82	26.4	21.1	22.5	26.9	31.4	26.3	26.3	22.1
83	10.9	6.3	7.5	10.7	12.4	10.2	10.2	4.7
84	2.9	1.3	1.7	0.6	2.2	2.1	2.1	0.4
85	0.1	*	0.1	0.1	0.2	0.3	0.3	*
86	*	*	*	*	-	*	*	*
87	*	-	*	-	-	*	*	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.3	81.0	81.0	81.1	81.4	81.1	81.1	80.9
Trash 2/								
00	0.5	0.2	0.3	7.3	0.2	1.3	1.3	*
01	10.2	10.1	10.2	23.9	5.8	24.5	24.5	3.8
02	26.0	27.0	26.7	26.8	15.0	28.6	28.6	20.4
03	25.7	26.5	26.2	17.4	17.8	18.0	18.0	28.8
04	17.6	17.7	17.6	10.3	16.3	10.2	10.2	21.8
05	9.9	9.7	9.7	6.0	11.7	5.9	5.9	12.4
06	5.2	4.9	4.9	3.4	9.3	3.5	3.5	6.3
07	2.6	2.2	2.3	2.0	7.7	2.2	2.2	3.2
08	1.3	1.0	1.1	1.1	6.2	1.5	1.5	1.6
09	0.6	0.4	0.5	0.7	3.7	1.0	1.0	0.9
10	0.2	0.2	0.2	0.4	2.7	1.0	1.0	0.5
11	0.1	0.1	0.1	0.3	1.2	0.8	0.8	0.1
12	0.1	*	*	0.2	0.9	0.6	0.6	*
13	*	*	*	0.1	0.8	0.4	0.4	*
14	*	*	*	0.1	0.4	0.2	0.2	*
15	*	*	*	*	0.1	0.1	0.1	*
16	*	*	*	*	0.1	*	*	*
17	*	*	*	*	-	*	*	*
18 & above	*	0.1	0.1	0.1	0.1	0.1	0.1	*
Average trash	0.33	0.32	0.33	0.26	0.48	0.30	0.30	0.37

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued.

Mike and Fiber Strength	MEMPHIS				PHOENIX				
	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
Uniformity 1/ 72 & below				*					
73	-	-	-	-	-	-	-	-	-
74	*	-	-	-	-	-	-	-	*
75	*	-	*	-	-	-	-	-	*
76	*	*	*	-	*	*	*	0.1	*
77	*	*	*	*	0.3	0.1	*	0.4	0.3
78	0.1	0.1	0.1	0.1	1.5	0.3	0.2	1.6	1.3
79	2.6	3.6	3.3	3.0	5.8	3.4	1.3	11.0	5.4
80	15.7	17.4	15.6	15.9	17.9	19.7	6.4	45.0	17.5
81	42.6	38.5	37.3	39.9	36.9	40.4	16.8	28.6	35.4
82	31.7	31.0	31.9	31.7	28.1	31.4	28.7	9.7	28.1
83	6.8	8.4	10.4	8.5	8.0	4.4	30.0	3.3	9.5
84	0.5	0.9	1.3	0.9	1.3	0.2	13.3	0.3	2.2
85	*	0.1	0.1	*	0.2	*	2.9	*	0.4
86	*	*	*	*	*	*	0.4	-	*
87	*	-	*	*	-	-	-	-	*
88	*	-	*	*	-	-	-	-	-
89	-	-	*	*	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.3	81.3	81.3	81.3	81.1	81.1	82.3	80.4	81.2
Trash 2/									
00	*	*	0.1	*	11.8	20.7	4.5	25.5	12.0
01	3.0	3.2	7.2	4.8	44.6	56.0	27.0	50.6	44.0
02	15.9	16.9	26.4	20.5	24.3	15.2	26.9	16.0	23.8
03	25.5	25.8	29.5	27.2	9.4	4.3	18.4	4.7	9.7
04	22.7	22.2	19.2	21.2	4.5	1.9	11.2	1.8	4.9
05	15.0	14.5	9.6	12.7	2.6	1.0	6.4	0.9	2.8
06	8.4	7.9	4.2	6.6	1.1	0.3	2.6	0.2	1.2
07	4.4	4.2	1.9	3.3	0.6	0.2	1.4	0.1	0.7
08	2.3	2.3	0.9	1.7	0.4	0.1	0.8	0.1	0.4
09	1.2	1.3	0.5	0.9	0.3	*	0.5	*	0.3
10	0.7	0.7	0.3	0.5	0.1	*	0.1	*	0.1
11	0.4	0.4	0.1	0.3	0.1	*	0.1	*	0.1
12	0.2	0.3	0.1	0.2	*	*	0.1	*	*
13	0.1	0.2	*	0.1	*	*	*	*	*
14	0.1	0.1	*	0.1	*	*	*	-	*
15	0.1	0.1	*	*	*	-	*	-	*
16	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*
18 & above	*	*	*	*	*	*	*	*	*
Average trash	0.40	0.40	0.33	0.37	0.17	0.12	0.25	0.11	0.18

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 9. -- Continued.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	United States
Uniformity 1/ 72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	-	-	-	-	*
75	-	*	-	*	*	*
76	-	*	-	*	*	*
77	*	*	*	*	*	0.1
78	0.1	0.1	0.1	0.1	0.1	0.8
79	1.0	0.9	0.4	0.9	0.3	4.7
80	6.9	6.1	3.1	6.1	1.9	16.0
81	26.0	25.5	17.9	25.4	12.8	31.6
82	40.2	41.4	40.7	41.4	40.7	30.6
83	21.7	22.0	29.8	22.0	34.8	13.4
84	3.8	3.7	7.5	3.8	8.3	2.4
85	0.2	0.2	0.6	0.2	1.1	0.2
86	-	*	-	*	0.1	*
87	-	*	-	*	*	*
88	-	-	-	-	*	*
89	-	-	-	-	-	*
90 & above	-	-	-	-	-	-
Average uniformity	81.9	81.9	82.2	81.9	82.4	81.4
Trash 2/						
00	*	0.3	0.1	0.3	5.1	1.8
01	1.6	10.5	2.8	10.4	26.1	15.8
02	9.7	26.2	16.9	26.0	30.3	25.8
03	20.0	25.7	27.8	25.7	19.0	23.1
04	21.9	17.0	23.3	17.1	10.1	15.1
05	18.0	9.6	14.5	9.7	5.0	8.4
06	11.6	5.0	7.6	5.1	2.5	4.4
07	6.9	2.7	3.6	2.7	1.0	2.3
08	4.5	1.5	1.9	1.5	0.4	1.2
09	2.9	0.9	0.9	0.9	0.2	0.7
10	1.9	0.5	0.6	0.5	0.1	0.5
11	0.2	0.1	*	0.1	0.1	0.3
12	0.2	*	*	*	0.1	0.2
13	0.1	*	*	*	*	0.1
14	0.1	*	-	*	*	0.1
15	0.1	*	*	*	*	*
16	*	*	-	*	*	*
17	*	*	-	*	*	*
18 & above	0.1	*	*	*	*	*
Average trash	0.47	0.33	0.39	0.33	0.24	0.34

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 10. -- Percentage distribution of grade, staple, mike and strength for American Pima cotton classed, by states and United States, 1996 crop

Grade, staple and mike	State								United States	
	Arizona		California		New Mexico		Texas			
Grade	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
01	1,972	2.7	19,902	7.2	313	2.2	1,808	2.9	23,995	5.6
02	39,950	55.1	166,449	60.5	11,603	80.4	53,289	84.7	271,291	63.8
03	24,159	33.3	56,804	20.6	2,283	15.8	6,648	10.6	89,894	21.2
04	3,263	4.5	18,953	6.9	187	1.3	767	1.2	23,170	5.5
05	1,663	2.3	8,442	3.1	25	0.2	374	0.6	10,504	2.5
06	1,120	1.5	3,050	1.1	25	0.2	47	0.1	4,242	1.0
07	337	0.5	1,526	0.6	0	-	1	*	1,864	0.4
All grades	72,464		275,126		14,436		62,934		424,960	100.0
Staple										
40 and shorter	1	*	8	*	1	*	0	-	10	*
42	16	*	181	0.1	6	*	14	*	217	0.1
44	9,528	13.1	61,288	22.3	2,877	19.9	11,243	17.9	84,936	20.0
46	48,380	66.8	192,615	70.0	9,023	62.5	46,668	74.2	296,686	69.8
48 and longer	14,539	20.1	21,034	7.6	2,529	17.5	5,009	8.0	43,111	10.1
Average staple	46.1		45.7		46.0		45.8		45.9	
Mike										
24 and below	0	-	0	*	0	-	0	-	3	*
25-26	7	*	40	*	0	-	0	-	47	*
27-29	146	0.2	1,158	0.4	2	*	18	*	1,324	0.3
30-32	1,310	1.8	5,985	2.2	68	0.5	452	0.7	7,815	1.8
33-34	2,954	4.1	5,481	2.0	223	1.5	1,549	2.5	10,207	2.4
35-36	6,641	9.2	12,940	4.7	451	3.1	4,047	6.4	24,079	5.7
37-42	56,212	77.6	215,792	78.4	8,840	61.2	42,039	66.8	322,883	76.0
43-49	5,194	7.2	33,727	12.3	4,852	33.6	14,829	23.6	58,602	13.8
50-52	0	-	0	-	0	-	0	-	0	-
53 and above	0	-	0	-	0	-	0	-	0	-
Average mike	39		40		41		40		40	
Strength										
17 & below	0	-	0	-	0	-	0	-	0	-
18	0	-	0	-	0	-	0	-	0	-
19	0	-	0	-	0	-	0	-	0	-
20	0	-	0	-	0	-	0	-	0	-
21	0	-	0	-	0	-	0	-	0	-
22	0	-	0	-	0	-	0	-	0	-
23	0	-	0	-	0	-	0	-	0	-
24	0	-	0	-	0	-	0	-	0	-
25	0	-	0	-	0	-	0	-	0	-
26	0	-	0	-	0	-	0	-	0	-
27	0	-	0	-	0	-	0	-	0	-
28	0	-	1	*	0	-	0	-	1	*
29	2	*	2	*	0	-	1	*	5	*
30	25	*	25	*	16	0.1	32	0.1	98	*
31	81	0.1	61	*	49	0.3	149	0.2	340	0.1
32	231	0.3	114	*	191	1.3	451	0.7	987	0.2
33	531	0.7	524	0.2	458	3.2	1109	1.8	2622	0.6
34	1337	1.8	1797	0.7	980	6.8	2611	4.1	6725	1.6
35	2855	3.9	4314	1.6	1583	11.0	6297	10.0	15049	3.5
36	5701	7.9	10890	4.0	2077	14.4	11660	18.5	30328	7.1
37	9350	12.9	23796	8.6	2294	15.9	14996	23.8	50436	11.9
38	12997	17.9	45840	16.7	2208	15.3	12730	20.2	73775	17.4
39	14436	19.9	61465	22.3	1727	12.0	7297	11.6	84925	20.0
40 & above	24918	34.4	126297	45.9	2853	19.8	5601	8.9	159669	37.6
Average strength	38.3		38.9		37.2		37.1		37.9	
Extraneous matter	2,762	3.8	36,683	13.3	435	3.0	1,345	2.1	41,225	9.7

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

